consequences of a related party's insolvency, and contains certain characteristics which enhance the likelihood that it will not become the subject of an insolvency proceeding.

\* \* \* \* \*

Upper 700 MHz D Block license. The Upper 700 MHz D Block license is the nationwide license associated with the 758–763 MHz and 788–793 MHz bands.

Upper 700 MHz D Block licensee. The Special Purpose Bankruptcy Remote Entity to which the Upper 700 MHz D Block license must be transferred upon execution of the Network Sharing Agreement. References herein to the rights and obligations of the Upper 700 MHz D Block licensee include the exercise or discharge of such rights or obligations, respectively, by related entities as are provided for in the NSA or otherwise as authorized by the Commission.

\* \* \* \* \*

## Subpart B—Public Safety Radio Pool

SOURCE: 62 FR 18845, Apr. 17, 1997, unless otherwise noted.

## § 90.15 Scope.

The Public Safety Radio Pool covers the licensing of the radio communications of governmental entities and the following category of activities: Medical services, rescue organizations, veterinarians, persons with disabilities, disaster relief organizations, school buses, beach patrols, establishments in isolated places, communications standby facilities, and emergency repair of public communications facilities. Entities not meeting these eligibility criteria may also be licensed in the Public Safety Radio Pool solely to provide service to eligibles on one-way pagingonly frequencies below 800 MHz, i.e., those frequencies with the assignment limitations appearing at §90.20(d)(13) or (d)(60). Private carrier systems licensed on other channels prior to June 1, 1990, may continue to provide radio communications service to eligibles. Rules as to eligibility for licensing, frequencies available, permissible communications and classes and number of stations, and any special requirements are set forth in the following sections.

#### § 90.16 Public Safety National Plan.

The Commission has established a National Plan which specifies special policies and procedures governing the Public Safety Pool (formally Public Safety Radio Services and the Special Emergency Radio Service). The National Plan is contained in the Report and Order in General Docket No. 87-112. The principal spectrum resource for the National Plan is the 806-809 MHz and the 851-854 MHz bands at locations farther then 110 km (68.4 miles) from the U.S./Mexico border and 140 km (87 miles) from the U.S./Canadian border ("border regions"). In the border regions, the principal spectrum for the National Plan may be different. The National plan establishes planning regions covering all parts of the United States, Puerto Rico, and the U.S. Virgin Islands. No assignments will be made in the spectrum designated for the National Plan until a regional plan for the area has been accepted by the Commission.

[69 FR 67837, Nov. 22, 2004]

#### § 90.18 Public Safety 700 MHz Nationwide Broadband Network.

The 763-768/793-798 MHz band is dedicated to a broadband public safety communications system with a nationwide level of interoperability. A nationwide license for this spectrum is held by a single entity, the Public Broadband Licensee, must enter into the 700 MHz Public/Private Partnership with the licensee of the adjacent Upper 700 MHz D Block license, pursuant to a Network Sharing Agreement and such other agreements as the Commission may require. The specific provisions relating to the 700 MHz Public/Private Partnership are set forth in subpart AA of this part and subpart N of part 27. The Public Safety 700 MHz Nationwide Broadband Network is established in the Second Report and Order in PS Docket No. 06-229.

EFFECTIVE DATE NOTE: At  $72\ FR\ 48859$ , Aug.  $24,\ 2007,\ \S90.18$  was added, effective October  $23,\ 2007.$ 

## § 90.20 Public Safety Pool.

(a) *Eligibility*. The following are eligible to hold authorizations in the Public Safety Pool.

- (1) Any territory, possession, state, city, county, town or similar governmental entity is eligible to hold authorizations in the Public Safety Pool to operate radio stations for transmission of communications essential to official activities of the licensee, including:
  - (i) A district and an authority;
- (ii) A governmental institution authorized by law to provide its own police protection;
- (iii) Persons or entities engaged in the provision of basic or advanced life support services on an ongoing basis are eligible to hold authorization to operate stations for transmission of communications essential for the delivery or rendition of emergency medical services for the provision of basic or advanced life support. Applications submitted by persons or organizations (governmental or otherwise) other than the governmental body having jurisdiction over the state's emergency medical service plans must be accompanied by a statement prepared by the governmental body having jurisdiction over the state's emergency medical services plan indicating that the applicant is included in the state's emergency plan or otherwise supporting the applica-
- (iv) Governmental entities and governmental agencies for their own medical activities; and
- (v) Governmental entities and governmental agencies for providing medical services communications to other eligible persons through direct participation in and direct operational control of the system, such as through central dispatch service.
- (2) Persons or organizations other than governmental entities are eligible to hold authorizations in the Public Safety Pool to operate radio stations for transmission of communications, as listed below. When requesting frequencies not designated by a "PS" in the coordinator column of the frequency table in paragraph (c)(3) of this section, applications must be accompanied by a statement from the governmental entity having legal jurisdiction over the area to be served, supporting the request:
- (i) Persons or organizations charged with specific fire protection activities;

- (ii) Persons or organizations charged with specific forestry-conservation activities;
- (iii) Persons or organizations, listed below, engaged in the delivery or rendition of medical services to the public and on a secondary basis, for transmission of messages related to the efficient administration of organizations and facilities engaged in medical services operations:
- (A) Hospital establishments that offer services, facilities, and beds for use beyond 24 hours in rendering medical treatment;
- (B) Institutions and organizations regularly engaged in providing medical services through clinics, public health facilities, and similar establishments;
- (C) Ambulance companies regularly engaged in providing medical ambulance services;
- (D) Rescue organizations for the limited purpose of participation in providing medical services;
- (E) Associations comprised of two or more of the organizations eligible under paragraph (a)(2)(iii) (A), (B), (C), and (D) of this section, for the purpose of active participation in and direct operational control of the medical services communication activities of such organizations; or
- (F) Physicians, schools of medicine, oral surgeons, and associations of physicians or oral surgeons;
- (iv) Persons or organizations operating a rescue squad for transmission of messages pertaining to the safety of life or property and urgent messages necessary for the rendition of an efficient emergency rescue service.
- (A) Each rescue squad will normally be authorized to operate one base station, and a number of mobile units (excluding hand carried mobile units) not exceeding the number of vehicles actually used in emergency rescue operations.
- (B) In addition, each rescue squad will be authorized to operate a number of hand carried mobile units not exceeding two such units for each radio equipped vehicle actually used in emergency rescue operations.
- (v) Persons with disabilities. The initial application from a person claiming eligibility under this paragraph shall be accompanied by a statement from a

physician attesting to the condition of the applicant or the applicant's child (or ward in case of guardianship).

- (A) Any person having a hearing deficiency such that average hearing threshold levels are 90 dB above ANSI (American National Standards Institute) 1969 or ISO (International Standards Organization) 1964 levels and such other persons who submit medical certification of similar hearing deficiency.
- (B) Any person having visual acuity corrected to no better than 20/200 in the better eye or having a field of vision of less than 20 degrees.
- (C) Any person, who, through loss of limbs or motor function, is confined to a wheelchair, or is non-ambulatory.
- (D) Any person actively awaiting an organ transplant.
- (E) Parents or guardians of persons under 18 years eligible under paragraphs (a)(2)(v)(A), (a)(2)(v)(B), (a)(2)(v)(C) of this section, or institutions devoted to the care or training of those persons.
- (vi) A veterinarian, veterinary clinic, or a school of veterinary medicine for the transmission of messages pertaining to the care and treatment of animals. Each licensee may be authorized to operate one base station and two mobile units. Additional base stations or mobile units will be authorized only on a showing of need.

(vii) Organizations established for disaster relief purposes having emergency radio communications plan for the transmission of communications relating to the safety of life or property, the establishment and maintenance of temporary relief facilities, and the alleviation of the emergency situation during periods of actual or impending emergency, or disaster, and until substantially normal conditions are restored. In addition, the stations may be used for training exercises, incidental to the emergency communications plan, and for operational communications of the disaster relief organization or its chapter affiliates. The initial application from a disaster relief organization shall be accompanied by a copy of the charter or other authority under which the organization was established and a copy of its communications plan. The plan shall fully describe the operation of the radio facilities and

describe the method of integration into other communications facilities which normally would be available to assist in the alleviation of the emergency condition.

- (viii) Persons or organizations operating school buses on a regular basis over regular routes for the transmission of messages pertaining to either the efficient operation of the school bus service or the safety or general welfare of the students they are engaged in transporting. Each school bus operator may be authorized to operate one base station and a number of mobile units not in excess of the total of the number of buses and maintenance vehicles regularly engaged in the school bus operation. Additional base stations or mobile units will be authorized only in exceptional circumstances when the applicant can show a specific
- (ix) Persons or organizations operating beach patrols having responsibility for life-saving activities for the transmission of messages required for the safety of life or property.
- (x) Persons or organizations maintaining establishment in isolated areas where public communications facilities are not available and where the use of radio is the only feasible means of establishing communication with a center of population, or other point from which emergency assistance might be obtained if needed, for the transmission of messages only during an actual or impending emergency endangering life, health or property for the transmission of essential communications arising from the emergency. The transmission of routine or non-emergency communications is strictly prohibited.
- (A) Special eligibility showing. The initial application requesting a station authorization for an establishment in an isolated area shall be accompanied by a statement describing the status of public communication facilities in the area of the applicant's establishment; the results of any attempts the applicant may have made to obtain public communication service, and; in the event radio communications service is to be furnished under paragraph (a)(2)(x)(C)(2) of this section, a copy of

the agreement involved must be submitted.

(B) Class and number of stations available. Persons or organizations in this category may be authorized to operate not more than one fixed station at any isolated establishment and not more than one fixed station in a center of population.

(C) Communication service rendered and received. (I) The licensee of a station at any establishment in an isolated area shall make the communication facilities of such station available at no charge to any person desiring the transmission of any communication permitted by paragraph (a) of this section

(2) For the purpose of providing the communications link desired the licensee of a station at an establishment in an isolated area either may be the licensee of a similar station at another location or may obtain communication service under a mutual agreement from the licensee of any station in the Public Safety Pool or any other station which is authorized to communicate with the fixed station.

(xi) A communications common carrier operating communications circuits that normally carry essential communication of such a nature that their disruption would endanger life or public property is eligible to hold authorizations for standby radio facilities for the transmission of messages only during periods when the normal circuits are inoperative due to circumstances beyond the control of the user. During such periods the radio facilities may be used to transmit any communication which would be carried by the regular circuit. Initial applications for authorization to operate a standby radio facility must include a statement describing radio communication facilities desired, the proposed method of operation, a description of the messages normally being carried, and an explanation of how their disruption will endanger life or public property.

(xii) Communications common carriers for radio facilities to be used in effecting expeditious repairs to interruption of public communications facilities where such interruptions have resulted in disabling intercity circuits or service to a multiplicity of sub-

scribers in a general area. Stations authorized under this section may be used only when no other means of communication is readily available, for the transmission of messages relating to the safety of life and property and messages which are necessary for the efficient restoration of the public communication facilities which have been disrupted.

(xiii) Persons or entities engaged in the provision of basic or advanced life support services on an ongoing basis are eligible to hold authorization to operate stations for transmission of communications essential for the delivery or rendition of emergency medical services for the provision of basic or advanced life support. Applications submitted by persons or organizations (governmental or otherwise) other than the governmental body having jurisdiction over the state's emergency medical service plans must be accompanied by a statement prepared by the governmental body having jurisdiction over the state's emergency medical services plan indicating that the applicant is included in the state's emergency plan or otherwise supporting the application.

International police communication. Police licensees which are located in close proximity to the borders of the United States may be authorized to communicate internationally. Request for such authority shall be written and signed and submitted in duplicate. The request shall include information as to the station with which communication will be conducted, and the frequency, power, emission, etc., that will be used. If authorized, such international communication must be conducted in accordance with Article 5 of the Inter-American Radio Agreement, Washington, DC, 1949, which reads as follows:

Article 5. *Police radio stations.* When the American countries authorize their police radio stations to exchange emergency information by radio with similar stations of another country, the following rules shall be applied.

(a) Only police radio stations located close to the boundaries of contiguous countries shall be allowed to exchange this information

(b) In general, only important police messages shall be handled, such as those which

would lose their value, because of slowness and time limitations if sent on other communication systems.

- (c) Frequencies used for radiotelephone communications with mobile police units shall not be used for radiotelegraph communications.
- (d) Radiotelephone communications shall be conducted only on frequencies assigned for radiotelephony.
- (e) Radiotelegraph communications shall be conducted on the following frequencies: 2804 kHz calling, 2808 kHz working, 2812 kHz working, 5195 kHz day calling, 5185 kHz day working, 5140 kHz day working.
- (f) The characteristics of police radio stations authorized to exchange information shall be notified to the International Telecommunication Union, Geneva, Switzerland.
- (g) The abbreviations contained in Appendix 9 of the Atlantic City Radio Regulations shall be used to the greatest possible extent. Service indications are as follows: "P", priority, for messages that are to be sent immediately, regardless of the number of other messages on file. If no service indication is given, the messages are to be transmitted in the order of receipt.
- (h) The message shall contain the preamble, address, text and signature, as follows:

Preamble. The preamble of the message shall consist of the following: The serial number preceded by the letters "NR", service indications, as appropriate; the group count according to standard cable count system; the letters "CK", followed by numerals indicating the number of words contained in the text of the message: Office and country of origin (not abbreviations): Day, month, and hour of filing;

Address. The address must be as complete as possible and shall include the name of the addressee with any supplementary particulars necessary for immediate delivery of the message;

*Text.* The text may be either in plain language or code;

Signature. The signature shall include the name and title of the person originating the message.

(c) Public Safety frequencies. (1) The following table indicates frequencies available for assignment to Public Safety stations, together with the class of station(s) to which they are normally assigned, the specific assignment limitations which are explained in paragraph (d) of this section, and the certified frequency coordinator for each frequency:

(2)(i) The letter symbol(s) listed in the Coordinator column of the frequency table in paragraph (c)(3) of this section specifies the frequency coordinator(s) for each frequency as follows:

PF-Fire Coordinator

PH—Highway Maintenance Coordinator

PM—Emergency Medical Coordinator PO—Forestry-Conservation Coordinator

PP—Police Coordinator

PS—Special Emergency Coordinator

PX—Any Public Safety Coordinator, except the Special Emergency Coordinator

- (ii) Frequencies without any coordinator specified may be coordinated by any coordinator certified in the Public Safety Pool.
  - (3) Frequencies.

PUBLIC SAFETY POOL FREQUENCY TABLE

Kilohertz Base (T.I.S.) Base (T.I.S.)do	1	PX PX PP PP PO PO PO
Base (T.I.S.)	1	PX PP PP PO PO PO PO
do	2, 3 4 4 4 2, 4 2	PP PP PO PO PO PO
do	2, 3 4 4 4 2, 4 2	PP PO PO PO PO
do	2, 3 4 4 4 2, 4 2	PO PO PO PO
do	4	PO PO PO
do	4 4 2, 4 2	PO PO
do	4 4 2, 4 2	PO
do	4 2, 4 2	PO
dodododo	2	DD.
dodododo	2	l PP
do		PP
		PP
	2	PP
	2	PP
do		PP
do		PP
		PX, PS
		PS
		PS
		PX.
	0, 00	
Megahert	z	
Base or mobile	7	PO
		PO
do	7, 8, 9	PO
do	7, 8, 9	PO
		PO
do		PO
do	8, 9	PO
do	8. 9	DO.
		PO
do	8, 9	PO
	do .	do

## **Federal Communications Commission**

## PUBLIC SAFETY POOL FREQUENCY TABLE— Continued

PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

§ 90.20

Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator	Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator
31.82	do	8, 9	PO	39.06	do	14	PX
31.86	do	8, 9	PO	39.08	do		PP
31.90	do	8, 9	PO	39.10	do		PX
31.94	do	8, 9	PO	39.12	do		PP
31.98	do	8, 9	PO	39.14	do		PP
33.02	do	10	PH, PS	39.16	do		PP
33.04	do		PS	39.18	do		PX
33.06	do	10	PH, PS	39.20	do		PP
33.08	do		PS	39.22	do		PP
33.10	do	10	PH, PS	39.24	do		PP
33.42	Mobile or fixed	11	PF	39.26	Mobile		PP
33.44	Base or mobile		PF	39.28	Base or mobile		PP
33.46	Mobile		PF	39.30	Mobile		PP
33.48	Base or mobile		PF	39.32	Base or mobile		PP
33.50	Mobile		PF	39.34	Mobile		PP
33.52	Base or mobile		PF	39.36	Base or mobile		PP
33.54	Mobile		PF	39.38	Mobile		PP
33.56	Base or mobile		PF	39.40	Base or mobile		PP
33.58	Mobile		PF	39.42	do		PP
33.60	Base or mobile		PF	39.44	do		PP
33.62	Mobile		PF	39.46	do	15	PP
33.64	Base or mobile		PF	39.48	do		PP
33.66	Mobile		PF	39.50	do		PX
33.68	Base or mobile		PF	39.52	do		PP
33.70	do		PF	39.54	do		PP
33.72	do		PF	39.56	do		PP
33.74	do		PF	39.58	do		PX
33.76	do		PF	39.60	do		PP
33.78	do		PF	39.62	do		PP
33.80	do		PF	39.64	do		PP
33.82	do		PF	39.66	Mobile		PP
33.84	do		PF	39.68	Base or mobile		PP
33.86	do		PF	39.70	Mobile		PP
33.88	do		PF	39.72	Base or mobile		PP
33.90	do		PF	39.74	Mobile		PP
33.92	do		PF	39.76	Base or mobile		PP
33.94	do		PF	39.78	Mobile		PP
33.96	do		PF	39.80	Base or mobile		PP
33.98	do		PF	39.82	do		PX
35.02	Mobile	12, 78	PS	39.84	do		PP
35.64	Base	13	PS	39.86	do		PP
35.68	do	13	PS	39.88	do		PP
37.02	Mobile		PP	39.90	do		PX
37.04	Base or mobile		PP	39.92	do		PP
37.06	do		PP	39.94	do		PP
37.08	do		PP	39.96	do		PP
37.10	do		PX	39.98	do		PX
37.12			PP	42.02	do	2, 3, 16	PP
37.14	do		PP	42.04	do	2, 3, 16	PP
			PP	42.06	do	2, 3, 16	PP
37.16 37.18	do		PX	42.08	do	2, 3, 16	PP
37.20			PP	42.10	do	2, 3, 16	PP
37.22			PP	42.12	do		PP
			PP				PP
37.24 37.26	do		PX	42.14 42.16	do	2, 3, 16	PP
37.26			PP	42.16	do Mobile	2, 3, 16	PP
	do					2, 16	
37.30	do		PP PP	42.20	do	2, 16	PP
37.32	do			42.22	do	2, 16	PP
37.34	Mobile		PP	42.24	do	2, 16	PP
37.36	Base or mobile		PP	42.26	do	2, 16	PP
37.38	Mobile		PP	42.28	do	2, 16	PP
37.40	Base or mobile		PP	42.30	do	2, 16	PP
37.42	Mobile		PP	42.32	Base or mobile	2, 3, 16	PP
37.90	Base or mobile	10	PH, PS	42.34	do	2, 3, 16	PP
37.92	do		PH	42.36	do	2, 3, 16	PP
37.94	do	10	PH, PS	42.38	do	2, 3, 16	PP
	do		PH	42.40	do	2, 3, 16,	PP
37.96	do						
	do	10	PH, PS			17.	
37.96	do			42.42	do	17. 2, 3, 16	PP

PUBLIC SAFETY POOL FREQUENCY TABLE— Continued

	Continue	u		Continucu			
Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator	Frequency or band	Class of sta- tion(s)	Limitations	Coord
42.46	do	2, 3, 16	PP	45.48	do		PX
42.48	do	2, 3, 16	PP	45.50	do		PP
12.50	do	2, 3, 16	PP	45.52	do		PX
12.52	do	2, 3, 16	PP	45.54	do		PP
2.54	do	2, 3, 16	PP	45.56	do		PX
2.56	do	2, 3, 16	PP	45.58	do		PP
2.58	do	2, 3, 16	PP	45.60	do		PX
2.60	do	2, 3, 16	PP	45.62	do		PP
2.62	do	2, 3, 16	PP	45.64	do		PX
2.64	do	2, 3, 16	PP	45.66	do		PP
2.66	Mobile	2, 16	PP	45.68	do		PH
2.68	do	2, 16	PP	45.70	do		PP
2.70	do	2, 16	PP	45.72	do		PH
2.72	do	2, 16	PP	45.74	Mobile		PP
2.74	do	2, 16	PP	45.76	Base or mobile		PH
2.76	do	2, 16	PP	45.78	Mobile		PP
2.78	do	2, 16	PP	45.80	Base or mobile		PH
2.80	Base or mobile	13	PP PP	45.82	Mobile		PP
2.82	do	2, 3, 16	PP	45.84	Base or mobile	45	PH
2.84 2.86	do	2, 3, 16	PP	45.86 45.88	do	15	PP PF
2.88	do	2, 3, 16	PP	45.88 45.90	dodo	20	PP
2.90	do	2, 3, 16	PP	45.92	do	10	PS
2.92	do	2, 3, 16	PP	45.94	do		PP
2.94	do	2, 3, 16	PP	45.96	do	10	PS
3.64	Base	13, 18	PS	45.98	do		PP
3.68	do	13	PS	46.00	do	10	PS
4.62	Base or mobile	2, 3, 16	PP	46.02	do		PP
4.64	do	2, 0, 10	PO	46.04	do	10	PS
1.66	do	2, 3, 16	PP	46.06	do		PF
1.68	do		PO	46.08	do		PF
1.70	do	2, 3, 16	PP	46.10	do		PF
4.72	do		PO	46.12	do		PF
4.74	do	2, 3, 16	PP	46.14	do		PF
4.76	do		PO	46.16	do		PF
4.78	Mobile	2, 16	PP	46.18	do		PF
4.80	Base or mobile		PO	46.20	do		PF
4.82	Mobile	2, 16	PP	46.22	Mobile		PF
4.84	Base or mobile		PO	46.24	do		PF
4.86	Mobile	2, 16	PP	46.26	do		PF
4.88	Base or mobile		PO	46.28	do		PF
4.90	Mobile	2, 16	PP	46.30	Mobile or fixed	11	PF
4.92	Base or mobile		PO	46.32	Mobile		PF
4.94	do	2, 3, 16	PP	46.34	do		PF
4.96	do		PO	46.36	Base or mobile		PF
4.98	do	2, 3, 16	PP	46.38	do		PF
5.00	do		PO	46.40	do		PF
5.02	do	2, 3, 16	PP	46.42	do		PF
5.04	do		PO	46.44	do		PF
5.06	do	2, 3, 16	PP	46.46	do		PF
5.08	do		PX	46.48	do		PF
5.10	do		PP	46.50	do		PF
5.12	do		PX	46.52	do		PX
5.14	do		PP	46.54	do		PX
5.16	do		PX	46.56	do		PX
5.18	do		PP	46.58	do	21 22	PX
5.205.22	dodo		PX PP	47.02 47.04	dodo	21, 22	PH PH
5.24	do		PX	47.04		21, 22	PH
5.26	Mobile		PP	47.08	dodo	21, 22	PH
5.28	Base or mobile		PX	47.10	do	21, 22	PH
5.30	Mobile		PP	47.10	do	21, 22	PH
5.32	Base or mobile		PX	47.12	do	21, 22	PH
5.34	Mobile		PP	47.14	do	21, 22	PH
5.36	Base or mobile		PX	47.18	do	21, 22	PH
5.38	Mobile		PP	47.10	do	21, 22	PH
5.40	Base or mobile		PX	47.22	do	21, 22	PH
	do		PP	47.24	do	21, 22	PH
5 42							
5.42 5.44	do		PX	47.26	do	21, 22	PH

PUBLIC SAFETY POOL FREQUENCY TABLE— Continued

PUBLIC SAFETY POOL FREQUENCY TABLE— Continued

	Continue	·u		Continucu			
Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator	Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator
47.30	do	21, 22	PH	151.2875	do	27, 28	PO
47.32	do	21, 22	PH	151.295	do	28	PO
47.34	do	21, 22	PH	151.3025	do	27, 28	PO
47.36	do	21, 22	PH	151.310	do	28	PO
47.38	do	21, 22	PH	151.3175	do	27, 28	PO
47.40	do	21, 22	PH	151.325	do	28	PO
47.42	do	10, 23	PS	151.3325	do	27, 28	PO
47.46	do	10	PS	151.340	do	28	PO
47.50	do	10	PS	151.3475	do	27, 28	PO
47.54	do	10	PS	151.355	do	28	PO
47.58	do	10	PS	151.3625	do	27, 28	PO
47.62	do	10	PS	151.370	do	28	PO
47.66	do	10	PS	151.3775	do	2728	PO
72.00 to 76.00	Operational	24	5	151.385	do	28	PO
72.00 10 70.00		24					PO
70.44	fixed.	25	חר	151.3925	do	27, 28	
72.44	Mobile	25	PF	151.400	do	28	PO
72.48	do	25	PF	151.4075	do	27, 28	PO
72.52	do	25	PF	151.415	do	28	PO
72.56	do	25	PF	151.4225	do	27, 28	PO
72.6	do	25	PF	151.430	do	28	PO
75.44	do	25	PF	151.4375	do	27, 28	PO
75.48	do	25	PF	151.445	do	28	PO
75.52	do	25	PF	151.4525	do	27, 28	PO
75.56	do	25	PF	151.460	do	28	PO
75.6	do	25	PF	151.4675	do	27, 28	PO
150 to 170	Base or mobile	26		151.475	do	28	PO
150.775	Mobile	87	PM.	151.4825	do	27, 28	PO
150.7825	do	88	PM	151.490	do	7, 28	PO
150.790	do	87	PM.	151.4975	do	7, 27, 28	PO
150.7975	do	88	PM.	152.0075	Base	13, 29, 30	PS
150.805	do		PM	153.740	Mobile		PX
150.995	Base or mobile	28	PH	153.7475	do	27	PX
151.0025	do	27, 28	PH	153.755	do		PX
151.010	do	28	PH	153.7625	do	27	PX
151.0175	do	28	PH	153.770	do		PF
151.025	do	28	PH	153.7775	do	27	PF
151.0325	do	27, 28	PH	153.785	do		PX
151.040	do	28	PH	153.7925	do	27	PX
151.0475	do	27, 28	PH	153.800	do		PX
151.055	do	28	PH	153.8075	do	27	PX
151.055			PH		do		PX
151.0625	do	27, 28	PH	153.815	do		PX
151.070	do	28		153.8225	do	27	
151.0775	do	27, 28	PH	153.830	do	31	PF
151.085	do	28	PH	153.8375	do	27, 31	PF
151.0925	do	27, 28	PH	153.845	do		PX
151.100	do	28	PH	153.8525	do	27	PX
151.1075	do	27, 28	PH	153.860	do		PX
151.115	do	28	PH	153.8675	do	27	PX
151.1225	do	27, 28	PH	153.875	do		PX
151.130	do	28, 81	PH	153.8825	do	27	PX
151.1375	do	27, 28, 80	PH	153.890	do		PF
151.145	do	28, 81	PO	153.8975	do	27	PF
151.1525	do	27, 28	PO	153.905	do		PX
151.160	do	28	PO	153.9125	do	27	PX
151.1675	do	27, 28	PO	153.920	do		PX
151.175	do	28	PO	153.9275	do	27	PX
151.1825	do	27, 28	PO	153.935	do		PX
151.190	do	28	PO	153.9425	do	27	PX
			PO				PF
151.1975	do	27, 28		153.950	do	27	PF
151.205	do	28	PO	153.9575	do	27	
151.2125	do	27, 28	PO	153.965	do		PX
151.220	do	28	PO	153.9725	do	27	PX
151.2275	do	27, 28	PO	153.980	do		PX
151.235	do	28	PO	153.9875	do	27	PX
151.2425	do	27, 28	PO	153.995	do		PX
	do	28	PO	154.0025	do	27	PX
151.250							l DE
151.250 151.2575	do	27, 28	PO	154.010	do		PF
151.2575			PO PO	154.010 154.0175			PF PF
	do	27, 28			dodododo	27	

PUBLIC SAFETY POOL FREQUENCY TABLE— Continued

	Continuca				Continuca		
Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator	Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator
154.040	do	28	PX	154.695	do	16	PP
154.0475	do	27, 28	PX	154.7025	do	16, 27	PP
154.055	do	28	PX	154.710	Mobile		PP
154.0625	do	27, 28	PX	154.7175	do	27	PP
154.070	Mobile	28	PF	154.725	Base or mobile		PP
154.0775	do	27, 28	PF	154.7325	do	27	PP
154.085	Base or mobile	28	PX	154.740	do		PP
154.0925	do	2728	PX	154.7475	do	27	PP
154.100	do	28	PX	154.755	do		PP
154.1075	do	27, 28	PX	154.7625	do	27	PP
154.115	do	28	PX	154.770	Mobile		PP
154.1225	do	27, 28	PX	154.7775	do	27	PP
154.130	do	28	PF	154.785	Base or mobile		PP
154.1375	do	27, 28	PF	154.7925	do	27	PP
154.145	do	28	PF PF	154.800	do		PP
154.1525	do	27, 28	PF	154.8075	do	27	PP
154.160 154.1675	dodo	28	PF	154.815 154.8225	do	27	PP PP
154.175	dodo	28	PF	154.830	do Mobile	21	PP
154.1825	do	27, 28	PF	154.8375	do	27	PP
154.190	do	28	PF	154.845	Base or mobile	21	PP
154.1975	do	27, 28	PF	154.8525	do	27	PP
154.205	do	28	PF	154.860	do		PP
154.2125	do	27, 28	PF	154.8675	do	27	PP
154.220	do	28	PF	154.875	do		PP
154.2275	do	27, 28	PF	154.8825	do	27	PP
154.235	do	28	PF	154.890	Mobile		PP
154.2425	do	27. 28	PF	154.8975	do	27	PP
154.250	do	28	PF	154.905	Base or mobile	16	PP
154.2575	do	27, 28	PF	154.9125	do	16	PP
154.265	do	19, 28	PF	154.920	do	16	PP
154.2725	do	19, 27, 28	PF	154.9275	do	16, 27	PP
154.280	do	19, 28	PF	154.935	do	16	PP
154.2875	do	19, 27, 28	PF	154.9425	do	16, 27	PP
154.295	do	19, 28	PF	154.950	Mobile		PP
154.3025	do	19, 27, 28	PF	154.9575	do	27	PP
154.310	do	28	PF	154.965	Base or mobile		PX
154.3175	do	27, 28	PF	154.9725	do	27	PX
154.325	do	28	PF	154.980	do		PX
154.3325	do	27, 28	PF	154.9875	do	27	PX
154.340	do	28	PF	154.995	do		PX
154.3475	do	27, 28	PF	155.0025	do	27	PX
154.355	do	28	PF	155.010	do		PP
154.3625	do	27, 28	PF	155.0175	do	27	PP
154.370	do	28	PF PF	155.025	do		PX
154.3775	do	27, 28		155.0325	do	27	PX
154.385	do	28	PF PF	155.040	do		PX
154.3925	dodo	27, 28	PF	155.0475 155.055	dodo	27	PX PX
154.400 154.4075		28	PF	155.0625	do	27	PX
154.415	dodo	28	PF	155.070	do	27	PP
154.4225	do	27, 28	PF	155.0775	do	27	PP
154.4225	do	28	PF	155.085	do		PX
154.4375	do	27, 28	PF	155.0925	do	27	PX
154.445	do	28, 81	PF	155.100	do		PX
154.4525	do	27, 28, 80.	PF	155.1075	do	27	PX
154.45625	Fixed or mobile	32, 33, 34,	PX	155.115	do		PX
		35.	''	155.1225	do	27	PX
154.46375	do	33, 34, 35,	PX	155.130	do		PP
		36, 37.		155.1375	do	27	PP
154.47125	do	33, 34, 35,	PX	155.145	do		PX
		36.		155.1525	do	27	PX
154.47875	do	33, 34, 35,	PX	155.160	do	10	PS
		37.		155.1675	do	10, 27	PS
154.650	Mobile		PP	155.175	do	10	PS
154.6575	do	27	PP	155.1825	do	10, 27	PS
154.665	Base or mobile	16	PP	155.190	do		PP
154.6725	do	16, 27	PP	155.1975	do	27	PP
154.680	do	16	PP	155.205	do	10	PS
	do	16, 27	PP	155.2125	do	10, 27	PS

## **Federal Communications Commission**

PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator	Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator
155 220	do	10	PS	155 745	do	91	PX
155.220			PS	155.745	do	81	PX
155.2275	do	10, 27	PS	155.7525	do	27, 80, 83	PX
155.235	dodo	10	PS	155.760 155.7675	do	81	PX
155.2425		10, 27	PP		do	27	
155.250	do			155.775	do		PX
155.2575	do	27	PP	155.7825	do	27	PX
155.265	do	10	PS	155.790	do		PP
155.2725	do	10, 27	PS	155.7975	do	27	PP
155.280	do	10	PS	155.805	do		PX
155.2875	do	10, 27	PS	155.8125	do	27	PX
155.295	do	10	PS	155.820	do		PX
155.3025	do	10, 27	PS	155.8275	do	27	PX
155.310	do		PP	155.835	do		PX
155.3175	do	27	PP	155.8425	do	27	PX
155.325	do	10, 39	PM	155.850	Mobile		PP
155.3325	do	27, 10, 39	PM	155.8575	do	27	PP
155.340	do	39, 40	PM	155.865	Base or mobile		PX
155.3475		27, 39, 40	PM	155.8725	do	27	PX
			PM	155.0725	do		PX
155.355	do	10, 39		155.880	do		
155.3625	do	27, 10, 39	PM	155.8875	do	27	PX
155.370	do		PP	155.895	do		PX
155.3775	do	27	PP	155.9025	do	27	PX
155.385	do	10, 39	PM	155.910	Mobile		PP
155.3925	do	27, 10, 39	PM	155.9175	do	27	PP
155.400	do	10, 39	PM	155.925	Base or mobile		PX
155.4075	do	27, 10, 39	PM	155.9325	do	27	PX
155.415	do		PP	155.940	do		PX
155.4225	do	27	PP	155.9475	do	27	PX
155.430	do		PP	155.955	do		PX
			PP	155.555			PX
155.4375		27	PP	155.9625	do	27	PP
155.445	do	16		155.970	Mobile		
155.4525	do	16, 27	PP	155.9775	do	27	PP
155.460	do	16	PP	155.985	do		PX
155.4675	do	16, 27	PP	155.9925	do	27	PX
155.475	do	41	PP	156.000	do		PX
155.4825	do	27, 41	PP	156.0075	do	27	PX
155.490	do		PP	156.015	do		PX
155.4975	do	27	PP	156.0225	do	27	PX
155.505	do	16	PP	156.030	do		PP
155.5125	do	16, 27	PP	156.0375	do	27	PP
155.520	do		PP	156.045	do	42	PH
155.5275		27	PP	156.0525	do	27, 42	PH
			PP				PH
155.535				156.060	do	42	
155.5425	do	27	PP	156.0675	do	27, 42	PH
155.550	do		PP	156.075	do		PH
155.5575	do	27	PP	156.0825	do	27	PH
155.565	do		PP	156.090	do		PP
155.5725	do	27	PP	156.0975	do	27	PP
155.580	do		PP	156.105	Base or mobile		PH
155.5875	do	27	PP	156.1125	do	27	PH
155.595	do		PP	156.120	do		PH
155.6025	do	27	PP	156.1275	do	27	PH
155.610	do		PP	156.135	do		PH
155.6175	do	27	PP	156.1425	do	27	PH
155.625			PP	156.150			PP
					Mobile		
155.6325	do	27	PP	156.1575	do	27	PP
155.640	do		PP	156.165	Base or mobile	42	PH
155.6475	do	27	PP	156.1725	do	27, 42	PH
155.655	do		PP	156.180	do	42	PH
155.6625	do	27	PP	156.1875	do	27, 42	PH
155.670	do		PP	156.195	do		PH
155.6775	do	27	PP	156.2025	do	27	PH
155.685			PP	156.210	do		PP
		27					
155.6925	do	27	PP	156.2175	do	27	PP
155.700	do		PP	156.225	do		PH
155.7075	do	27	PP	156.2325	do	27, 10	PH
155.715	do		PX	156.240	do	79	PH
155.7225	do	27	PX	157.450	Base	13, 30, 45	PS
155.730	do		PP	158.7225	Base or Mobile	44	PP
155.7375	do	27	PP	158.730	do	81	PP

PUBLIC SAFETY POOL FREQUENCY TABLE— Continued

Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator	Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator
158.7375	do	27, 80	PP PX	159.2625	do	27, 46 46	PO PO
158.745 158.7525		81	PX	159.270 159.2775	do	27, 46	PO
158.760	dodo	27	PX	159.285	do	46	PO
158.7675	do	27	PX	159.2925	do	27, 46	PO
158.775	do		PX	159.300	do	46	PO
158.7825	do	27	PX	159.3075	do	27, 46	PO
158.790	do		PP	159.315	do	46	PO
158.7975	do	27	PP	159.3225	do	27, 46	PO
158.805	do	21	PX	159.330	do	46	PO
158.8125	do	27	PX	159.3375	do	27, 46	PO
158.820	do		PX	159.345	do	46	PO
158.8275	do		PX	159.3525	do	27, 46	PO
158.835	do		PX	159.360	do	46	PO
158.8425	do	27	PX	159.3675	do	27, 46	PO
158.850	do		PP	159.375	do	46	PO
158.8575	do	27	PP	159.3825	do	27, 46	PO
158.865	Mobile		PX	159.390	do	46	PO
158.8725	do	27	PX	159.3975	do	27, 46	PO
158.880	do		PX	159.405	do	46	PO
158.8875	do		PX	159.4125	do	27, 46	PO
158.895	do		PX	159.420	do	46	PO
158.9025	do	27	PX	159.4275	do	27, 46	PO
158.910	do		PP	159.435	do	46	PO
158.9175	do	27	PP	159.4425	do	27, 46	PO
158.925	do		PX	159.450	do		PO
158.9325	do	27	PX	159.4575	do	27	PO
158.940	do		PX	159.465	do	81	PO
158.9475	do		PX	159.4725	do	80	PO
158.955	do		PX	163.250	Base	13, 30	PS
158.9625	do	27	PX	166.250	Base or mobile	47	PF
158.970	do		PP	169 to 172	Mobile or oper-	48.	
158.9775	do	27	PP		ational fixed.		
158.985	do		PH	170.150	Base or mobile	47	PF
158.9925	do	27	PH	170.425	do	9, 49	PO.
159.000	do		PH	170.475	do	9, 49	PO.
159.0075	do	27	PH	170.575	do	9, 49	PO.
159.015	do		PH	171.425	do	9, 49	PO.
159.0225	do	27	PH	171.475	do	9, 49	PO.
159.030	do		PP	171.575	do	9, 49	PO.
159.0375	do	27	PP	172.225	do	9, 49	PO.
159.045	do		PH	172.275	do	9, 49	PO.
159.0525	do	27	PH	172.375	do	9, 49	PO.
159.060	do		PH	173.075	do	53	PP
159.0675	do	27	PH	173.20375	Fixed or mobile	33, 34, 35,	PX
159.075	do		PH			36.	
159.0825	do	27	PH	173.210	do	34, 35, 36,	PX
159.090	Base or mobile		PP	470 0075	ا ا	54.	DV
159.0975	do	27	PP PH	173.2375	do	32, 33, 34,	PX
159.105	do	27	PH	172 2625	do	35.	PX
159.1125 159.120	dodo	27	PH	173.2625	uu	32, 33, 34, 35.	FA
159.120	do	27	PH	173.2875	do		PX
159.135	do	21	PH	113.2013	uu	32, 33, 34, 35.	FA
159.1425	do	27	PH	173.3125	do	32, 33, 34,	PX
159.150	do		PP	110.0120	uo	35.	' ^
159.1575	do	27	PP	173.3375	do	32, 33, 34,	PX
159.165	do	21	PH	170.0070		35.	' ^
159.1725	do	27	PH	173.3625	do	32, 33, 34,	PX
159.180	do	21	PH	170.0020		35.	' ^
159.1875	do	27	PH	173.390	do	34, 35, 36,	PX
159.195	do	21	PH			54.	
159.2025	do	27	PH	173.39625	do	33, 34, 35,	PX
159.210	do		PP			36.	
159.2175	do	27	PP	220 to 222	Base or mobile	55.	
159.225	do	21	PO	220.8025	Base	55	
159.2325	do	27	PO	220.8075	do	55	
159.240	do	46	PO	220.8125	do	55	
159.2475	do	27, 46	PO	220.8175	do	55	
159.255	do	46	PO	220.8225	do	55	
			-				

## **Federal Communications Commission**

PUBLIC SAFETY POOL FREQUENCY TABLE—Continued

	Continue	u		Continuca			
Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator	Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator
220.8275	do	55		453.1875	do	27, 59, 62	PX
220.8325	do	55		453.19375	do	44, 59, 62	PM
220.0323				453.200		81	PX
220.8375	do	55			do		
220.8425	do	55		453.20625	do	44, 82	PX
220.8475	do	55		453.2125	do	27, 80, 83	PX
220.9025	do	55	PM	453.21875	do	44, 82	PX
220.9075	do	55	PM	453.225	do	81	PX
220.9125	do	55	PM	453.23125	do	44	PX
220.9175	do	55	PM	453.2375	do	27	PX
220.9225	do	55	PM	453.24375	do	44	PX
221.8025	Mobile	55		453.250	do		PX
221.8075	do	55		453.25625	do	44	PX
221.8125		55		453.2625	do	27	PX
221.8175	do	55		453.26875	do	44	PX
221.8225	do	55		453.275	do		PX
221.8275	do	55		453.28125	do	44	PX
221.8325	do	55		453.2875	do	27	PX
221.8375	do	55		453.29375	do	44	PX
221.8425	do	55		453.300	do		PX
221.8475	do	55		453.30625	do	44	PX
221.9025	do	55	PM	453.3125	do	27	PX
221.9075	do	55	PM	453.31875	do	44	PX
			PM		do		
221.9125		55	PM	453.325			PX
221.9175	do	55		453.33125	do	44	PX
221.9225	do	55	PM	453.3375	do	27	PX
406 to 416	Operational	48.		453.34375	do	44	PX
	fixed.			453.350	do		PX
450 to 470	Fixed, base, or	26, 56		453.35625	do	44	PX
	mobile.			453.3625	do	27	PX
453.0125	Mobile	57, 78	PX	453.36875	do	44	PX
453.03125	Base or mobile	44, 49, 62,	PM	453.375	do		PX
400.00120	Dase of Hilbbile	84.	' '*'	453.38125	do	44	PX
452.0275	مام		DV.	455.50125	do	27	PX
453.0375	do	27, 59, 62,	PX	453.3875	do		
		84.		453.39375	do	44	PX
453.04375	do	44, 49, 62,	PM	453.400	do		PX
		84.		453.40625	do	44	PX
453.050	do		PX	453.4125	do	27	PX
453.05625	do	44, 84	PX	453.41875	do	44	PX
453.0625	do	27, 84	PX	453.425	do		PX
453.06875	do	44, 84	PX	453.43125	do	44	PX
453.075	Central control,	58, 59, 60,	PM	453.4375	do	27	PX
400.070	fixed base, or		' '*'	453.44375	do	44	PX
		61, 62.			do	01	PX
450 00405	mobile.	44 50 00		453.450		81	
453.08125	Base or mobile	44, 59, 62,	PM	453.45625	do	44, 82	PX
		84.		453.4625	do	27, 80	PX
453.0875	do	27, 59, 62,	PX	453.46875	do	44, 82	PX
		84.		453.475	do	81	PX
453.09375	do	44, 59, 62,	PM	453.48125	do	44	PX
		84.		453.4875	do	27	PX
453.100	do	l	PX	453.49375	do	44	PX
453.10625	do	44, 84	PX	453.500	do		PX
453.1125	do	27, 84	PX	453.50625	do	44	PX
	do	44, 84	PX	453.5125			
453.11875	do				do	27	PX
453.125	Central control,	58, 59, 60,	PM	453.51875	do	44	PX
	fixed base, or	61, 62.	1	453.525	do		PX
	mobile.			453.53125	do	44	PX
453.13125	Base or mobile	44, 59, 62,	PM	453.5375	do	27	PX
		84.		453.54375	do	44	PX
453.1375	do	27, 59, 62,	PX	453.550	do		PX
		84.	1	453.55625	do	44	PX
453.14375	do	44, 59, 62,	PM	453.5625	do	27	PX
-00.1 <del>-</del> 010		84.	' '*'	453.56875	do	44	PX
4E2 4E0	do		DV				
453.150	do		PX	453.575	do		PX
453.15625	do	44	PX	453.58125	do	44	PX
453.1625	do	27	PX	453.5875	do	27	PX
453.16875	do	44	PX	453.59375	do	44	PX
453.175	Central control,	58, 59, 60,	PM	453.600	do		PX
	fixed base, or	61, 62.	1	453.60625	do	44	PX
	mobile.	'	1	453.6125	do	27	PX
453.18125		44, 59, 62	PM	453.61875	do	44	PX
.50.10120	. Dago of Highlie	, 55, 52		-100.01070			

PUBLIC SAFETY POOL FREQUENCY TABLE— Continued

PUBLIC SAFETY POOL FREQUENCY TABLE—
Continued

	Continue	·u		Continuca			
Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator	Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator
453.625	do		PX	458.050	do		PX
453.63125	do	44	PX	458.05625	do	44, 84	PX
453.6375	do	27	PX	458.0625	do	27, 84	PX
453.64375	do	44	PX	458.06875	do	44, 84	PX
453.650	do		PX	458.075	Central control,	58, 59, 61,	PM
453.65625	do	44	PX		fixed base, or	62, 63.	
453.6625	do	27	PX		mobile.		
453.66875	do	44	PX	458.08125	Mobile	44, 59, 61,	PM
453.675	do		PX			62, 84.	
453.68125	do	44	PX	458.0875	do	27, 59, 61,	PX
453.6875	do	27	PX			62, 84.	
453.69375	do	44	PX	458.09375	do	44, 59, 61,	PM
453.700	do	81	PX			62, 84.	
453.70625	do	44, 82	PX	458.100	do		PX
453.7125	do	27, 80	PX	458.10625	do	44, 84	PX
453.71875	do	44, 82	PX	458.1125	do	27, 84	PX
453.725	do	81	PX	458.11875	do	44, 84	PX
453.73125	do	44	PX	458.125	Central control,	58, 59, 61,	PM
453.7375	do	27	PX	450.125			FIVI
453.74375	do	44	PX		fixed base, or	62, 63.	
	do		PX	450 40405	mobile.	44 50 04	DM
453.750				458.13125	Mobile	44, 59, 61,	PM
453.75625	do	44	PX			62, 84.	
453.7625	do	27	PX	458.1375	do	27, 59, 61,	PX
453.76875	do	44	PX			62, 84.	
453.775	do		PX	458.14375	do	44, 59, 61,	PM
453.78125	do	44	PX			62, 84.	
453.7875	dodo	27	PX PX	458.150	do		PX
453.79375 453.800		44	PX	458.15625	do	44	PX
453.80625	dodo	44	PX	458.1625	do	27	PX
453.8125		27	PX	458.16875	do	44	PX
453.81875			PX	458.175	Central control,	58, 59, 61,	PM
453.825	dodo	44	PX		fixed base, or	62, 63.	
453.83125	do	44	PX	450 40405	mobile.		514
453.8375	do	27	PX	458.18125	Mobile	44, 59, 61,	PM
453.84375	do	44	PX	450 4075		62.	D)/
453.850	do	81	PX	458.1875	do	27, 59, 61,	PX
453.85625	do	44, 82	PX	450 40075		62.	514
453.8625	do	27, 80	PX	458.19375	do	44, 59, 61,	PM
453.86875	do	44, 82	PX	450.000		62.	DV
453.875	do	81	PX	458.200 458.20625	dodo	81 44, 82	PX PX
453.88125	do	44, 84	PX				
453.8875	do	27, 84	PX	458.2125	do	27, 80, 83	PX
453.89375	do	44, 84	PX	458.21875	do	44, 82	PX PX
453.900	do		PX	458.225 458.23125	dodo	81	PX
453.90625	do	44, 84	PX	458.2375	do	27	PX
453.9125	do	27, 84	PX	458.24375	do	44	PX
453.91875	do	44, 84	PX	458.250	do	44	PX
453.925	do		PX	458.25625	do	44	PX
453.93125	do	44, 84	PX	458.2625	do	27	PX
453.9375	do	27, 84	PX	458.26875	do	44	PX
453.94375	do	44, 84	PX	458.275	do		PX
453.950	do		PX	458.28125	do	44	PX
453.95625	do	44, 84	PX	458.2875	do	27	PX
453.9625	do	27, 84	PX	458.29375	do	44	PX
453.96875	do	44, 84	PX	458.300	do		PX
453.975	do		PX	458.30625	do	44	PX
453.98125	do	44, 84	PX	458.3125	do	27	PX
453.9875	do	27, 84	PX	458.31875	do	44	PX
453.99375	do	44, 84	PX	458.325	do		PX
458.0125	Mobile	57	PS	458.33125	do	44	PX
458.025	Central control,	58, 59, 61,	PM	458.3375	do	27	PX
. 30.020	fixed base, or	62, 63.	1	458.34375	do	44	PX
	mobile.	-=, 00.		458.350	do		PX
458.03125	Mobile	44, 59, 61,	PM	458.35625	do	44	PX
.55.00120		62, 84.		458.3625	do	27	PX
458.0375	do	27, 59, 61,	PX	458.36875	do	44	PX
		62, 84.	'	458.375	do		PX
458.04375	do	44, 59, 61,	PM	458.38125	do	44	PX
		62, 84.		458.3875		27	PX

## Federal Communications Commission

PUBLIC SAFETY POOL FREQUENCY TABLE— Continued

Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator	Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator
458.39375	do	44	PX PX	458.83125	do	44	PX PX
458.400 458.40625	do	44	PX	458.8375 458.84375	dodo	27	PX
458.4125	dodo	27	PX	458.850	do	81	PX
458.41875	do	44	PX	458.85625	do	44, 82	PX
458.425	do		PX	458.8625	do	27, 80	PX
458.43125	do	44	PX	458.86875	do	44, 82	PX
458.4375	do	27	PX	458.875	do	81	PX
458.44375	do	44	PX	458.88125	do	44, 84	PX
458.450	do	81	PX	458.8875	do	27, 84	PX
458.45625	do	44, 82	PX	458.89375	do	44, 84	PX
458.4625	do	27, 80	PX	458.900	do		PX
458.46875	do	44, 82	PX	458.90625	do	44, 84	PX
458.475	do	81	PX	458.9125	do	27, 84	PX
458.48125	do	44	PX	458.91875	do	44, 84	PX
458.4875	do	27	PX	458.925	do		PX
458.49375	do	44	PX	458.93125	do	44, 84	PX
458.500	do		PX	458.9375	do	27, 84	PX
458.50625		44	PX	458.94375		44, 84	PX
458.5125	do	27	PX	458.950	do		PX
458.5125	dodo	27 44	PX	458.95625	dodo	44, 84	PX
458.525		44	PX	458.9625	do	27, 84	PX
458.53125	dodo		PX	458.96875	do	44, 84	PX
458.5375	do	44 27	PX	458.975	do		PX
458.54375	do	44	PX	458.98125	do	44, 84	PX
458.550	do		PX	458.9875	do	27, 84	PX
458.55625	do	44	PX	458.99375	do	44, 84	PX
458.5625	do	27	PX	460.0125	do	27, 64	PP
458.56875	do	44	PX	460.01875	Base or mobile	44	PP
458.575	do		PX	460.025	do		PP
458.58125	do	44	PX	460.03125	do	44	PP
458.5875	do	27	PX	460.0375	do	27	PP
458.59375	do	44	PX	460.04375	do	44	PP
458.600	do		PX	460.050	do		PP
458.60625	do	44	PX	460.05625	do	44	PP
458.6125	do	27	PX	460.0625	do	27	PP
458.61875	do	44	PX	460.06875	do	44	PP
458.625	do		PX	460.075	do		PP
458.63125	do	44	PX	460.08125	do	44	PP
458.6375	do	27	PX	460.0875	do	27	PP
458.64375	do	44	PX	460.09375	do	44	PP
458.650	do		PX	460.100	do		PP
458.65625	do	44	PX	460.10625	do	44	PP
458.6625	do	27	PX	460.1125	do	27	PP
458.66875	do	44	PX	460.11875	do	44	PP
458.675	do		PX	460.125	do		PP
458.68125	do	44	PX	460.13125	do	44	PP
458.6875	do	27	PX	460.1375	do	27	PP
458.69375	do	44	PX	460.14375	do	44	PP
458.700	do		PX	460.150	do		PP
458.70625	do	44	PX	460.15625	do	44	PP
458.7125	do	27	PX	460.1625	do	27	PP
458.71875	do	44	PX	460.16875	do	44	PP
458.725	do		PX	460.175	do		PP
458.73125	do	44	PX	460.18125	do	44	PP
458.7375	do	27	PX	460.1875	do	27	PP
458.74375	do	44	PX	460.19375	do	44	PP
458.750	do		PX	460.200	do		PP
458.75625	do	44	PX	460.20625	do	44	PP
458.7625	do	27	PX	460.2125	do	27	PP
458.76875	do	44	PX	460.21875	do	44	PP
458.775	do		PX	460.225	do		PP
458.78125	do	44	PX	460.23125	do	44	PP
458.7875	do	27	PX	460.2375	do	27	PP
	do	44	PX	460.24375	do	44	PP
458 79375		/ · · · · · · · · · · · · · · · · · · ·					PP
458.79375			I PX	4hU 25U			
458.79375 458.800	do		PX	460.250 460.25625	do		
458.79375 458.800 458.80625	dodo	44	PX	460.25625	do	44	PP
458.79375 458.800 458.80625 458.8125	dodododo	44 27	PX PX	460.25625 460.2625	dodo	44 27	PP PP
458.79375 458.800 458.80625	dodo	44	PX	460.25625	do	44	PP

PUBLIC SAFETY POOL FREQUENCY TABLE— Continued

	Continue	u		Continuca			
Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator	Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator
460.28125	do	44	PP	462.9625	do	27, 10, 65	PM
460.2875	do	27	PP	462.96875	do	10, 44, 65	PM
460.29375	do	44	PP	462.975	do	10, 65	PM
460.300	do		PP	462.98125	do	10, 44, 65	PM
460.30625	do	44	PP	462.9875	do	27, 10, 65	PM
460.3125	do	27	PP	462.99375	do	10, 44, 65	PM
460.31875	do	44	PP	463.000	do	59, 66, 67	PM
460.325	do		PP	463.00625	do	44, 59, 66,	PM
460.33125	do	44	PP	403.00023	do	67.	' '''
460.3375	do	27	PP	463.0125	do	27, 59, 66,	РМ
460.34375	do	44	PP	400.0120	do	67.	' '''
460.350	do	***	PP	463.01875	do	44, 59, 66,	PM
460.35625	do	44	PP	403.01073	uo	67.	F IVI
460.3625	do	27	PP	463.025	do	59, 66, 67	PM
			PP				I
460.36875		44	PP	463.03125	do	44, 59, 66,	PM
460.375	do			400 0075		67.	D14
460.38125	do	44	PP PP	463.0375	do	27, 59, 66,	PM
460.3875	do	27	PP	100 0 1075		67.	
460.39375	do	44	1	463.04375	do	44, 59, 66,	PM
460.400	do		PP PP			67.	
460.40625	do	44		463.050	do	59, 66, 67	PM
460.4125	do	27	PP	463.05625	do	44, 59, 66,	PM
460.41875	do	44	PP			67.	
460.425	do		PP	463.0625	do	27, 59, 66,	PM
460.43125	do	44	PP			67.	
460.4375	do	27	PP	463.06875	do	44, 59, 66,	PM
460.44375	do	44	PP			67.	
460.450	do		PP	463.075	do	59, 66, 76	PM
460.45625	do	44	PP	463.08125	do	44, 59, 66,	PM
460.4625	do	27	PP			76.	
460.46875	do	44	PP	463.0875	do	27, 59, 66,	PM
460.475	do		PP			76.	
460.48125	do	44, 84	PP	463.09375	do	44, 59, 66,	PM
460.4875	do	27, 84	PP			76.	
460.49375	do	44, 84	PP	463.100	do	59, 66, 76	PM
460.500	do		PP	463.10625	do	44, 59, 66,	PM
460.50625	do	44, 84	PP			76.	
460.5125	do	27, 84	PP	463.1125	do	27, 59, 66,	PM
460.51875	do	44, 84	PP			76.	
460.525	do		PP, PF,	463.11875	do	44, 59, 66,	РМ
			PM	100111010 1111111		76.	l · ···
460.53125	do	44, 84	PP, PF,	463.125	do	59, 66, 76	PM
			PM .	463.13125	do	44, 59, 66,	PM
460.5375	do	27, 84	PP, PF,	400.10120	do	76.	' '''
10010070 111111111		21,01	PM	463.1375	do	27, 59, 66,	РМ
460.54375	do	44, 84	PP, PF,	403.1373	uo	76.	F IVI
10010 1010 1111111		,	PM	463.14375	do	44, 59, 66,	РМ
460.550	do		PP, PF,	403.14373	do		FIVI
400.000			PM	463.150	do	76. 59, 66, 76	PM
460.55625	do	44, 84	PP, PF,				
400.55025	do	44, 04	PM	463.15625	do	44, 59, 66,	PM
400 E00E	مام	27 04		100 1005		76.	
460.5625	do	27, 84	PP, PF,	463.1625	do	27, 59, 66,	PM
400 50075	4-	44.04	PM			76.	
460.56875	do	44, 84	PP, PF,	463.16875	do	44, 59, 66,	PM
			PM			76.	
460.575	do		PF	463.175	do	59, 66, 76	PM
460.58125	do	44	PF	463.18125	do	44, 59, 66,	PM
460.5875	do	27	PF			76.	
460.59375	do	44	PF	463.1875	do	27, 59, 66,	PM
460.600	do		PF			76.	
460.60625	do	44	PF	463.19375	do	44, 59, 66,	PM
460.6125	do	27	PF			76.	
460.61875	do	44	PF	465.0125	Mobile	57	PP
460.625	do		PF	465.025	do		PP
460.63125	do	44	PF	465.03125	do	44	PP
460.6375	do	27	PF	465.0375	do	27	PP
460.64375	do	44	PF	465.04375	do	44	PP
462.9375	do	57	PF	465.050	do	44	PP
462.950	do	38, 65	PM	465.05625	do	44	PP
	do	10, 44, 65	PM	465.0625	do	27	PP
-UZ.00UZU	uo	10, 77, 00		TUU.UUZU		. 41	

## **Federal Communications Commission**

PUBLIC SAFETY POOL FREQUENCY TABLE— Continued

	Continued				Continued		
Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator	Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator
465.06875	do	44	PP	465.50625	do	44, 84	PP
465.075	do		PP	465.5125	do	27, 84	PP
465.08125	do	44	PP	465.51875	do	44, 84	PP
465.0875	do	27	PP	465.525	do		PP, PF,
465.09375	do	44	PP				PM
465.100	do		PP	465.53125	do	44, 84	PP, PF,
465.10625	do	44	PP	100.00120		14, 04	PM
465.1125	do	27	PP	465.5375	do	27, 84	PP, PF,
465.11875	do	44	PP	403.3373		21, 04	PM
465.125	do		PP	ACE E 407E	do	44.04	PP, PF,
465.13125	do	44	PP	465.54375	do	44, 84	
465.1375	do	27	PP	405 550	D		PM
465.14375	do	44	PP	465.550	Base or mobile		PP, PF,
465.150	do		PP	405 55005			PM
465.15625	do	44	PP	465.55625	do	44, 84	PP, PF,
465.1625	do	27	PP			l	PM
465.16875	do	44	PP	465.5625	do	27, 84	PP, PF,
465.175	do		PP				PM
465.18125	do	44	PP	465.56875	do	44, 84	PP, PF,
465.1875	do	27	PP				PM
465.19375	do	44	PP	465.575	Mobile		PF
465.200	do		PP	465.58125	do	44	PF
465.20625	do	44	PP	465.5875	do	27	PF
465.2125	do	27	PP	465.59375	do	44	PF
465.21875	do	44	PP	465.600	do		PF
465.225	do		PP	465.60625	do	44	PF
465.23125	do	44	PP	465.6125	do	27	PF
465.2375	do	27	PP	465.61875	do	44	PF
465.24375	do	44	PP	465.625	do		PF
465.250	do		PP	465.63125	do	44	PF
465.25625	do	44	PP	465.6375	do	27	PF
465.2625	do	27	PP	465.64375	do	44	PF
465.26875	do	44	PP	467.9375	do	57	PS
465.275	do		PP	467.950	do	38, 65	PM
465.28125	do	44	PP	467.95625	do	38, 44, 65	PM
465.2875	do	27	PP	467.9625	do	27, 38, 65	PM
465.29375	do	44	PP	467.96875	do	38, 44, 65	PM
465.300	do		PP	467.975	do	38, 65	PM
465.30625	do	44	PP	467.98125	do	38, 44, 65	PM
465.3125	do	27	PP	467.9875	do	27, 38, 65	PM
465.31875	do	44	PP	467.99375	do	38, 44, 65	PM
465.325	do		PP	468.000	do	59, 66, 67	PM
465.33125	do	44	PP	468.00625	do	44, 59, 66,	PM
465.3375	do	27	PP	400.00025		67.	' '''
465.34375	do	44	PP	468.0125	do	27, 59, 66,	PM
465.350	do		PP	+00.0120		67.	
465.35625	do	44	PP	468.01875	do	44, 59, 66,	PM
465.3625	do	27	PP	400.01073		67.	FIVI
465.36875	do	44	PP	468.025	do	59, 66, 67	PM
465.375	do		PP	468.03125	do	44, 59, 66,	PM
465.38125	do	44	PP	400.03123		67.	' '''
465.3875	do	27	PP	468.0375	do	27, 59, 66,	PM
465.39375	do	44	PP	400.0070		67.	
465.400	do		PP	468.04375	do	44, 59, 66,	PM
465.40625	do	44	PP	100.01070		67.	
465.4125	do	27	PP	468.050	do	59, 66, 67	PM
465.41875	do	44	PP	468.05625	do	44, 59, 66,	PM
465.425	do		PP			67.	l · ····
465.43125	do	44	PP	468.0625	do	27, 59, 66,	РМ
465.4375	do	27	PP	+00.00 <u>2</u> 0		67.	
465.44375	do	44	PP	468.06875	do	44, 59, 66,	PM
465.450	do		PP	400.00073		67.	' '''
465.45625	do	44	PP	468.075	do	59, 66, 76	PM
465.4625	do	27	PP	468.08125	do	44, 59, 66,	PM
465.46875	do	44	PP	-00.00120		76.	
465.475	do	44	PP	468.0875	do	27, 59, 66,	PM
465.48125	do	44, 84	PP	100.0070		76.	
465.4875	do	27, 84	PP	468.09375	do	44, 59, 66,	PM
465.49375	do	44, 84	PP	100.00010		76.	
465.500	do	44, 04	PP	468.100	do .	59, 66, 76	PM
						. 55, 55, 76	

PUBLIC SAFETY POOL FREQUENCY TABLE— Continued

Frequency or band	Class of sta- tion(s)	Limitations	Coordi- nator
468.10625	do	44, 59, 66, 76.	PM
468.1125	do	27, 59, 66, 76.	PM
468.11875	do	44, 59, 66, 76.	PM
468.125	do	59, 66, 76	PM
468.13125	do	44, 59, 66, 76.	PM
468.1375	do	27, 59, 66, 76.	PM
468.14375	do	44, 59, 66, 76.	PM
468.150	do	59, 66, 76	PM
468.15625	do	44, 59, 66, 76.	PM
468.1625	do	27, 59, 66, 76.	PM
468.16875	do	44, 59, 66, 76.	PM
468.175	do	59, 66, 76	PM
468.18125	do	44, 59, 66, 76.	PM
468.1875	do	27, 59, 66, 76.	PM
468.19375	do	44, 59, 66, 76.	PM
470 to 512	Base or mobile	68.	
764 to 776	Base, mobile	77	PX
794 to 806	Mobile	77	PX
806 to 817	do	69	
851 to 862	Base or mobile	69	
928 and above	Operational fixed.	70.	
929 to 930	Base only	71.	
1,427 to 1,432	Base, mobile or operational fixed.	O='xl'≤72.	
2,450 to 2,500	Base or mobile	73.	
4940 to 4990	Fixed, base or mobile.	85	
5850–5925	Base or mobile	86	Not appli- cable.
10,550 to 10,680.	do	74.	cable.

- (d) Explanation of assignment limitations appearing in the frequency table of paragraph (c)(3) of this section:
- (1) This frequency is available for use by Travelers' Information Stations in accordance with § 90.242.
- (2) The frequency is available for assignment only in accordance with a geographical assignment plan.
- (3) Base stations operating on this frequency and rendering service to state police mobile units may be authorized to use a maximum output power in excess of the maximum indicated in §90.205 but not in excess of 7500 watts: Provided, That such operation is secondary to other stations.

- (4) The use of this frequency is on a secondary basis to any Canadian station.
- (5) In addition to base and mobile stations, this frequency may be assigned to fixed stations on a secondary basis to base or mobile stations. Upon a showing of need, the use of a second frequency in the band 2505–3500 kHz may be made available to governmental entities through appropriate arrangements with Federal Government agencies for restricted area use on a shared basis with maximum power output, emission, and hours of operation determined on the basis of the technical conditions involved in using the selected frequency in the particular area.
- (6) Only the central governments of the fifty individual States, the District of Columbia, and the insular areas of the Commonwealth of the Northern Mariana Islands, the Commonwealth of Puerto Rico, and the unincorporated territories of American Samoa, Guam and the United States Virgin Islands are eligible to be licensed to use this spectrum, and then only for disaster communications purposes. Licensees may not use this spectrum to provide operational communications circuits. See also, §90.264.
- (7) This frequency is shared with the Industrial/Business Pool.
- (8) This frequency is available for assignment only in accordance with a geographical assignment plan. This frequency may be used for conservation activities on a secondary basis to any station using the frequency for forest fire prevention, detection, and suppression.
- (9) This frequency is reserved primarily for assignment to state licensees. Assignments to other licensees will be made only where the frequency is required for coordinated operation with the State system to which the frequency is assigned. Any request for such assignment must be supported by a statement from the State system concerned, indicating that the assignment is necessary for coordination of activities.
- (10) A licensee regularly conducting two-way communication operations on this frequency may, on a secondary

basis, also transmit one-way alert-paging signals to ambulance and rescue squad personnel.

- (11) The maximum output power of any transmitter authorized to operate on this frequency shall not exceed 10 watts.
- (12) This frequency is available in this service only to persons eligible under the provisions of paragraph (a)(2)(v) of this section for operation of transmitters having a maximum power output of three watts using A1A, A1D, A2B, A2D, F1B, F1D, F2B, F2D, G1B, G1D, G2B, or G2D emission. This frequency is also available in the Industrial/Business Pool on a co-equal basis with the Public Safety licensees.
- (13) This frequency will be assigned only for one-way paging communications to mobile receivers. Transmissions for the purpose of activating or controlling remote objects on this frequency are not authorized.
- (14) The maximum output power of any transmitter authorized to operate on this frequency, after June 1, 1956, shall not exceed two watts. Licensees holding a valid authorization as of June 1, 1956, for base or mobile station operation on this frequency, with a power in excess of two watts, may continue to be authorized for such operation without regard to this power limitation.
- (15) This frequency is reserved for assignment to stations for intersystem operations only: Provided, however, That licensees holding a valid authorization to use this frequency for local base or mobile operations as of June 1, 1956, may continue to be authorized for such use.
- (16) This frequency is reserved primarily for assignment to state police licensees. Assignments to other police licensees will be made only where the frequency is required for coordinated operation with the state police system to which the frequency is assigned. Any request for such assignment must be supported by a statement from the state police system concerned indicating that the assignment is necessary for coordination of police activities.
- (17) In the State of Alaska only, the frequency 42.40 MHz is available for assignment on a primary basis to sta-

tions in the Common Carrier Rural Radio Service utilizing meteor burst communications. The frequency may be used by private radio stations for meteor burst communications on a secondary, noninterference basis. Usage shall be in accordance with part 22 of this chapter or part 90. Stations utilizing meteor burst communications shall not cause harmful interference to stations of other radio services operating in accordance with the allocation table.

- (18) No new licenses will be granted for one-way paging under §90.487 for use on this frequency after August 1, 1980. This frequency is available to persons eligible for station licenses under the provisions of paragraph (a)(2)(v) of this section on a co-equal basis with one-way paging users under §90.487 prior to August 1, 1985, and on a primary basis after August 1, 1985. Only A1A, A1D, A2B, A2D, F1B, F1D, F2B, F2D, G1B, G1D, G2B, G2D emissions and power not exceeding 10 watts will be authorized. Antennas having gain greater than 0 dBd will not be authorized. Transmissions shall not exceed two seconds duration.
- (19) This frequency is reserved for assignment to stations in this service for intersystem operations only and these operations must be primarily base-mobile communications.
- (20) In the State of Alaska only, the frequency 45.90 MHz is available for assignment on a primary basis to private land mobile radio stations utilizing meteor burst communications. The frequency may be used by common carrier stations for meteor burst communications on a secondary, noninterference basis. Usage shall be in accordance with part 22 of this chapter and part 90. Stations utilizing meteor burst communications shall not cause harmful interference to stations of other radio services operating in accordance with the allocation table.
- (21) This frequency will be assigned only in accordance with a geographical assignment plan and is reserved primarily for assignment to Highway maintenance systems operated by states. The use of this frequency by other Highway maintenance licensees will be authorized only where such use is necessary to coordinate activities

with the particular state to which the frequency is assigned. Any request for such use must be supported by a statement from the state concerned.

- (22) Notwithstanding the provisions of paragraph (d)(21) of this section, this frequency may be used by any licensees in the Public Safety Pool without a separate license for the purpose of operating self-powered vehicle detectors for traffic control and safety purposes, on a secondary basis, in accordance with § 90.269.
- (23) Thus frequency is reserved for assignment only to national organizations eligible for disaster relief operations under paragraph (a)(2)(vii) of this section.
- (24) Assignment and use of frequencies in the band 72–76 MHz are governed by §90.257 for operational-fixed stations and by §90.241 for emergency call box operations. Specific frequencies are listed at §90.257(a)(1).
- (25) This frequency is available to Public Safety Pool licensees for fire call box operations on a shared basis in Industrial/Business Pool. All communications on this frequency must be conducted with persons or organizations charged with specific fire protection responsibility. All operations on this frequency are subject to the provisions of §90.257(b).
- (26) Assignment of frequencies in this band are subject to the provisions of §90.173. Licensees as of August 18, 1995 who operate systems in the 150–170 MHz band that are 2.5 kHz removed from regularly assignable frequencies may continue to operate on a secondary, non-interference basis after August 1, 2003.
- (27) This frequency will be assigned with an authorized bandwidth not to exceed 11.25 kHz. In the 450-470 MHz band, secondary telemetry operations pursuant to §90.238(e) will be authorized on this frequency.
- (28) This frequency is not available for assignment in this service in Puerto Rico or the Virgin Islands.
- (29) This frequency is removed by 22.5 kHz from frequencies assigned to other radio services. Utilization of this frequency may result in, as well as be subject to, interference under certain operating conditions. In considering the use of this frequency, adjacent channel

operations should be taken into consideration. If interference occurs, the licensee may be required to take the necessary steps to resolve the problem. See §90.173(b).

- (30) This frequency will be authorized a channel bandwidth of 25 kHz.
- (31) The maximum output power of any transmitter authorized to operate on this frequency shall not exceed 100 watts. Stations authorized prior to July 15, 1992 for fixed operations will be permitted to continue such operations, but at a maximum transmitter power output of 10 watts.
- (32) The maximum effective radiated power (ERP) may not exceed 20 watts for fixed stations and 2 watts for mobile stations. The height of the antenna system may not exceed 15.24 meters (50 ft.) above ground. All such operation is on a secondary basis to adjacent channel land mobile operations.
- (33) For FM transmitters, the sum of the highest modulating frequency in Hertz and the amount of the frequency deviation or swing in Hertz may not exceed 2800 Hz and the maximum deviation may not exceed 2.5 kHz. For AM transmitters, the highest modulation frequency may not exceed 2000 Hz. The carrier frequency must be maintained within .0005 percent of the center of the frequency band, and the authorized bandwidth may not exceed 6 kHz.
- (34) This frequency is available on a shared basis with the Industrial/Business Pool for remote control and telemetry operations.
- (35) Operational fixed stations must employ directional antennas having a front-to-back ratio of at least 20 dB. Omnidirectional antennas having unity gain may be employed for stations communicating with at least three receiving locations separated by 160 degrees of azimuth.
- (36) The maximum power output of the transmitter may not exceed 50 watts for fixed stations and 1 watt for mobile stations. A1A, A1D, A2B, A2D, F1B, F1D, F2D, G1B, G1D, G2B, or G2D emission may be authorized.
- (37) Use of this frequency is limited to stations located at least 120.7 km (75 miles) from the center of any urbanized area of 200,000 or more population (U.S. Census of Population 1970). Operation

is on a secondary basis to licensees of the Industrial/Business Pool.

- (38) [Reserved]
- (39) In addition to other authorized uses, the use of F1B, F1D, F2B or F2D emission is permitted on this frequency for the operation of biomedical telemetry systems except in the following geographic locations:
- (i) New York, N.Y.-Northeastern New Jersey; Los Angeles-Long Beach, Calif.; Chicago, Ill.-Northwestern Indiana; Philadelphia, Pa.-N.J.; Detroit, Mich.; San Francisco-Oakland, Calif.; Boston, Mass.; Washington, D.C.-Md.-Va.; Cleveland, Ohio; St. Louis, Mo.-Ill.; Pittsburgh, Pa.; Minneapolis-St. Paul, Minn.; Houston, Tex.; Baltimore, Md.; Dallas, Tex.; Milwaukee, Wis.; Seattle-Everett, Wash.; Miami, Fla.; San Diego, Calif.; Atlanta, Ga.; Cincinnati, Ohio-Ky.; Kansas City, Mo.-Kans.; Buffalo, N.Y.; Denver, Colo.; San Jose, Calif.; New Orleans, La.; Phoenix, Ariz.; Portland, Oreg.-Wash.; Indianapolis, Ind.; Providence-Pawtucket-Warwick, R.I.-Mass.; Columbus, Ohio; San Antonio, Tex.; Louisville, Ky.-Ind.; Dayton, Ohio; Forth Worth, Tex.; Norfolk-Portsmouth, Va.; Memphis, Tenn.-Miss.; Sacramento, Calif.; Fort Lauderdale-Hollywood, Fla.; Rochester, N.Y.; Tampa-St. Petersburg, Fla;
- (ii) The continuous carrier mode of operation may be used for telemetry transmissions on this frequency for periods up to two-minutes duration; following which there must be a break in the carrier for at least a one-minute period; and
- (iii) Geographical coordinates for the above-listed urbanized areas may be found at Table 1 of §90.635.
- (40) This frequency may be designated by common consent as an intersystem mutual assistance frequency under an area-wide medical communications plan.
- (41) This frequency is available nationwide for use in police emergency communications networks operated under statewide law enforcement emergency communications plans.
- (42) This frequency may not be assigned within 161 km (100 miles) of New Orleans, La. (coordinates  $29^{\circ}56'53''$  N and  $90^{\circ}04'10''$  W).
  - (43) [Reserved]

- (44) This frequency will be assigned with an authorized bandwidth not to exceed 6 kHz.
- (45) Operations on this frequency are limited to 30 watts transmitter output power.
- (46) This frequency is shared with the Industrial/Business Pool in Puerto Rico and the Virgin Islands.
- (47) This frequency may be assigned to stations in the Public Safety Pool in accordance with the provisions of \$90.265.
- (48) Frequencies in this band will be assigned only for transmitting hydrological or meteorological data or for low power wireless microphones in accordance with the provisions of §90.265.
- (49) This frequency may be assigned only for forest firefighting and conservation activities in accordance with the provisions of § 90.265.
  - (50)—(51) [Reserved]
- (52) In addition to agencies responsible for forest fire prevention, detection, and suppression, this frequency may be assigned to conservation agencies which do not have forest fire responsibilities on a secondary basis to any U.S. Government stations, *Provided*, That such assignment is necessary to permit mobile relay operation by such agencies.
- (53) This frequency is subject to the provisions of paragraph (e)(6) of this section.
- (54) For FM transmitters, the sum of the highest modulating frequency in hertz and the amount of the frequency deviation or swing in hertz may not exceed 1700 Hz and the maximum deviation may not exceed 1.2 kHz. For AM transmitters, the highest modulating frequency may not exceed 1200 Hz. The carrier frequency must be maintained within .0005 percent of the center of the frequency band, and the authorized bandwidth may not exceed 3 kHz.
- (55) Subpart T of this part contains rules for assignment of frequencies in the 220-222 MHz band.
- (56) The frequencies available for use at fixed stations in this band and the requirements for assignment are set forth in §90.261. Operation on these frequencies is secondary to stations in the Industrial/Business Pool where they

are assigned for land mobile operations.

(57) This frequency is available for systems first licensed prior to August 18, 1995. No new systems will be authorized after August 18, 1995, but prior authorized systems may be modified, expanded, and renewed.

(58) This frequency is available for systems first licensed prior to March 31, 1980, for radio call box communications related to safety on highways in accordance with the provisions of \$90.241(c). No new systems will be authorized of this nature, but systems authorized prior to March 31, 1980 may be modified, expanded, and renewed.

(59) The continuous carrier mode of operation may be used for telemetry transmission on this frequency.

(60) Paging licensees as of March 20, 1991, may continue to operate on a primary basis until January 14, 1998.

(61) Highway radio call box operations first licensed prior to March 31, 1980 on this frequency may continue to operate in accordance with paragraph (d)(58) of this section.

(62) This frequency is also authorized for use by biomedical telemetry stations. F1B, F1D, F2B, F2D, F3E, G1B, G1D, G2B, G2D, and G3E emissions may be authorized for biomedical transmissions.

(63) Available for medical services mobile operations in the Public Safety Pool in accordance with paragraph (d)(61) of this section.

(64) Use of this frequency is on a secondary basis, limited to 2 watts output power and subject to the provisions of 90.267(h)(1), (h)(2), (h)(3), and (h)(4).

(65) This frequency is primarily authorized for use in the dispatch of medical care vehicles and personnel for the rendition or delivery of medical services. This frequency may also be assigned for intra-system and inter-system mutual assistance purposes. For uniformity in usage these frequency pairs may be referred to by channel name as follows:

Frequencies base and mobile (megahertz)	Mobile only (MHz)	Channel name
462.950	467.9625 467.96875	MED-9 MED-91 MED-92 MED-93
462.975	467.975	MED-10
462.98125	467.98125	MED-101

Frequencies base and mobile (megahertz)	Mobile only (MHz)	Channel name
462.9875	467.9875	MED-102
462.99375	467.99375	MED-103

(66) For applications for new radio systems, the thirty-two frequency pairs listed in paragraph (d)(66)(i) of this section will be assigned in a block for shared operation under §90.20(a)(1)(iii) or §90.20(a)(2)(xiii) subject to the following:

(i) For uniformity in usage, these frequency pairs may be referred to by channel name as follows:

463.000         468.000         MED-1           463.00625         468.00625         MED-11           463.0125         468.0125         MED-13           463.025         468.01875         MED-13           463.025         468.025         MED-21           463.03125         468.03125         MED-21           463.0375         468.0375         MED-22           463.050         468.050         MED-3           463.050         468.050         MED-3           463.0625         468.0625         MED-31           463.0625         468.0625         MED-31           463.0625         468.0625         MED-31           463.075         468.06875         MED-3           463.075         468.06875         MED-31           463.08125         468.06875         MED-31           463.08125         468.0875         MED-42           463.08125         468.0875         MED-44           463.09375         468.0875         MED-43           463.100         468.100         MED-43           463.10625         468.10625         MED-52           463.1125         468.1125         MED-52           463.1125         468.1	Frequencies base and mobile (megahertz)	Mobile only (MHz)	Channel name
463.0125         468.0125         MED-12           463.01875         468.01875         MED-13           463.025         468.025         MED-21           463.03125         468.03125         MED-21           463.0375         468.0375         MED-22           463.04375         468.04375         MED-23           463.050         468.050         MED-3           463.052         468.06625         MED-32           463.0625         468.0625         MED-32           463.0625         468.0625         MED-32           463.0875         468.08125         MED-42           463.08125         468.08125         MED-44           463.09375         468.08125         MED-42           463.09375         468.08375         MED-42           463.09375         468.08375         MED-42           463.09375         468.08375         MED-42           463.100         468.100         MED-5           463.1125         468.10625         MED-51           463.1125         468.1125         MED-51           463.11875         468.11875         MED-52           463.13125         468.11875         MED-61           463.1375	463.000	468.000	MED-1
463.01875         468.01875         MED-13           463.025         468.025         MED-21           463.03125         468.03125         MED-21           463.0375         468.0375         MED-22           463.04375         468.04375         MED-23           463.050         468.050         MED-3           463.05625         468.05625         MED-31           463.0625         468.0625         MED-33           463.075         468.06875         MED-33           463.08125         468.08125         MED-44           463.0875         468.0875         MED-44           463.09375         468.09375         MED-42           463.100         468.10625         MED-54           463.1125         468.1125         MED-54           463.1125         468.1125         MED-52           463.1125         468.1125         MED-52           463.1375         468.1375         MED-61           463.1375         468.1375         MED-61           463.150         468.150         MED-61           463.150         468.1625         MED-7           463.1625         468.1625         MED-73           463.150	463.00625	468.00625	MED-11
463.025         468.025         MED-2           463.03125         468.03125         MED-21           463.0375         468.0375         MED-22           463.04375         468.04375         MED-23           463.050         468.05625         MED-31           463.0625         468.06625         MED-31           463.0625         468.06875         MED-33           463.075         468.06875         MED-4           463.08125         468.08125         MED-4           463.0875         468.0875         MED-4           463.0975         468.0875         MED-4           463.0975         468.0875         MED-4           463.08125         468.0875         MED-4           463.0875         468.0875         MED-4           463.0875         468.0875         MED-4           463.1062         468.10625         MED-43           463.1062         468.10625         MED-5           463.1125         468.1125         MED-52           463.1125         468.1125         MED-52           463.13125         468.1375         MED-6           463.1375         468.1375         MED-6           463.14375         468	463.0125	468.0125	MED-12
463.03125         468.03125         MED-21           463.0375         468.0375         MED-22           463.04375         468.04375         MED-23           463.050         468.050         MED-3           463.050         468.05625         MED-31           463.0625         468.0625         MED-32           463.06875         468.06875         MED-33           463.075         463.075         MED-4           463.08125         468.08125         MED-42           463.09375         468.0875         MED-42           463.09375         468.09375         MED-42           463.100         468.10625         MED-5           463.1125         468.10625         MED-5           463.1125         468.1125         MED-51           463.1125         468.1125         MED-51           463.1125         468.1125         MED-52           463.11375         468.11875         MED-63           463.1375         468.13125         MED-61           463.150         468.1375         MED-63           463.150         468.150         MED-7           463.1625         468.1525         MED-63           463.150	463.01875	468.01875	MED-13
463.0375         468.0375         MED-22           463.04375         468.04375         MED-23           463.050         468.050         MED-3           463.05625         468.05625         MED-31           463.0625         468.0625         MED-32           463.0625         468.06875         MED-33           463.075         468.0875         MED-44           463.08125         468.0875         MED-44           463.09375         468.09375         MED-43           463.100         468.10625         MED-54           463.1125         468.1125         MED-52           463.1125         468.1125         MED-52           463.1125         468.1125         MED-63           463.1375         468.1375         MED-61           463.1375         468.1375         MED-61           463.150         468.150         MED-61           463.150         468.150         MED-7           463.1625         468.1625         MED-73           463.1625         468.1625         MED-72           463.1875         468.1625         MED-73           463.1875         468.1625         MED-73           463.1875         468	463.025	468.025	MED-2
463.04375         468.04375         MED-23           463.050         468.050         MED-31           463.0625         468.06625         MED-31           463.0625         468.0625         MED-32           463.0675         468.06875         MED-32           463.075         MED-3         MED-34           463.08125         468.08125         MED-41           463.0875         468.0875         MED-42           463.0975         MED-43         MED-43           463.100         468.10625         MED-43           463.110625         468.10625         MED-5           463.1125         468.1125         MED-52           463.1125         468.1125         MED-52           463.125         468.1125         MED-52           463.1325         468.1375         MED-54           463.1375         468.1375         MED-61           463.14375         468.1375         MED-61           463.150         468.150         MED-7           463.1625         468.1625         MED-7           463.1625         468.1625         MED-72           463.1625         468.1625         MED-73           463.1875         468.18	463.03125	468.03125	
463.050         468.050         MED-3           463.05625         468.05625         MED-32           463.0625         468.06875         MED-32           463.06875         468.06875         MED-33           463.075         463.075         MED-41           463.08125         468.0875         MED-42           463.09375         468.09375         MED-42           463.100         468.10625         MED-51           463.1105         468.10625         MED-51           463.1125         468.1125         MED-52           463.11875         468.11875         MED-63           463.13125         468.1125         MED-64           463.1375         468.1375         MED-62           463.150         468.150         MED-63           463.150         468.150         MED-7           463.1625         468.150         MED-7           463.1625         468.16875         MED-73           463.175         468.16875         MED-73           463.175         468.1875         MED-73           463.1875         468.18125         MED-81	463.0375	468.0375	MED-22
463.05625         468.05625         MED-31           463.0625         468.0625         MED-32           463.0675         468.06875         MED-33           463.075         463.075         MED-4           463.08125         468.08125         MED-41           463.09375         468.0875         MED-42           463.100         468.106         MED-5           463.1125         468.10625         MED-51           463.1125         468.1125         MED-52           463.1125         468.1125         MED-52           463.1375         468.1375         MED-63           463.1375         468.1375         MED-61           463.150         468.1375         MED-62           463.150         468.150         MED-7           463.150         468.1625         MED-7           463.1625         468.1625         MED-72           463.1625         468.1625         MED-73           463.175         468.1825         MED-73           463.175         468.1825         MED-82	463.04375	468.04375	MED-23
463.0625         468.0625         MED-32           463.06875         468.06875         MED-32           463.075         463.075         MED-4           463.08125         468.08125         MED-41           463.0875         468.0875         MED-42           463.09375         468.09375         MED-43           463.100         468.100         MED-5           463.11825         468.1125         MED-51           463.1125         468.1125         MED-52           463.125         468.18125         MED-52           463.125         468.125         MED-64           463.1375         468.1375         MED-61           463.14375         468.1375         MED-61           463.150         468.150         MED-7           463.1625         468.150         MED-7           463.1625         468.1625         MED-72           463.1625         468.1625         MED-72           463.1625         468.1625         MED-73           463.175         468.18125         MED-81           463.18125         468.18125         MED-82           463.1875         MED-82	463.050	468.050	MED-3
463.06875         468.06875         MED-33           463.075         463.075         MED-41           463.08125         468.08125         MED-42           463.09375         468.09375         MED-42           463.100         468.10625         MED-51           463.10625         468.10625         MED-51           463.1125         468.1125         MED-52           463.11875         468.11875         MED-53           463.125         468.1125         MED-64           463.13125         468.1375         MED-64           463.1375         468.1375         MED-62           463.150         468.150         MED-72           463.15625         468.1525         MED-74           463.1625         468.16875         MED-73           463.175         468.16875         MED-73           463.1825         468.16875         MED-73           463.175         468.18125         MED-81           463.1875         468.18125         MED-81	463.05625	468.05625	MED-31
463.075         463.075         MED-4           463.08125         468.08125         MED-41           463.0875         468.0875         MED-42           463.09375         468.09375         MED-43           463.100         468.10625         MED-5           463.1125         468.10625         MED-51           463.1125         468.1125         MED-52           463.11875         468.1875         MED-53           463.125         468.1875         MED-63           463.1375         468.1375         MED-61           463.1375         468.1375         MED-62           463.150         468.150         MED-7           463.150         468.150         MED-7           463.1625         468.1625         MED-72           463.1625         468.1625         MED-73           463.175         468.175         MED-8           463.18125         468.18125         MED-8           463.1875         468.18125         MED-8	463.0625	468.0625	
463.08125         468.08125         MED-41           463.0875         468.0875         MED-42           463.09375         468.09375         MED-43           463.100         468.100         MED-5           463.110625         468.10625         MED-51           463.1125         468.1125         MED-52           463.11875         468.1125         MED-53           463.125         468.125         MED-6           463.13125         468.13125         MED-61           463.1375         468.1375         MED-62           463.14375         468.14375         MED-63           463.150         468.150         MED-7           463.1625         468.1625         MED-72           463.1625         468.1625         MED-72           463.175         468.1625         MED-73           463.1875         468.18125         MED-81           463.1875         MED-81         MED-81	463.06875	468.06875	
463.0875         468.0875         MED-42           463.09375         468.09375         MED-43           463.100         468.100         MED-5           463.10625         468.10625         MED-51           463.1125         468.1125         MED-52           463.11875         468.1125         MED-63           463.125         468.1125         MED-64           463.13125         468.13125         MED-61           463.1375         468.1375         MED-62           463.150         468.150         MED-72           463.1625         468.15625         MED-71           463.1625         468.16875         MED-73           463.175         468.16875         MED-73           463.1825         468.18125         MED-81           463.1855         468.18125         MED-81			
463.09375         468.09375         MED-43           463.100         468.100         MED-51           463.10625         468.10625         MED-51           463.1125         468.1125         MED-52           463.1125         468.11875         MED-53           463.125         468.125         MED-61           463.1375         468.1375         MED-61           463.1375         468.1375         MED-62           463.150         468.150         MED-7           463.150         468.150         MED-7           463.1625         468.1625         MED-72           463.16875         468.16875         MED-73           463.18125         468.18125         MED-8           463.1875         468.18125         MED-8			
463.100         468.100         MED-5           463.10625         468.10625         MED-51           463.1125         468.1125         MED-52           463.11875         468.1125         MED-53           463.125         468.125         MED-6           463.13125         468.13125         MED-61           463.1375         468.1375         MED-62           463.14375         468.14375         MED-63           463.150         468.150         MED-7           463.1625         468.15625         MED-71           463.1625         468.1625         MED-72           463.175         468.16875         MED-73           463.18125         468.18125         MED-81           463.1875         468.18125         MED-81	463.0875	468.0875	
463.10625         468.10625         MED-51           463.1125         468.1125         MED-52           463.11875         468.11875         MED-53           463.125         468.125         MED-6           463.13125         468.13125         MED-61           463.1375         468.1375         MED-62           463.150         468.14375         MED-63           463.150         468.150         MED-7           463.1625         468.1625         MED-71           463.1625         468.16875         MED-72           463.175         468.175         MED-73           463.18125         468.18125         MED-81           463.1875         468.18125         MED-82	463.09375		
463.1125         468.1125         MED-52           463.11875         468.11875         MED-53           463.125         468.125         MED-61           463.13125         468.13125         MED-61           463.1375         468.1375         MED-62           463.14375         468.14375         MED-63           463.150         468.150         MED-7           463.152         468.1625         MED-72           463.1625         468.1625         MED-72           463.16875         468.16875         MED-73           463.18125         468.18125         MED-8           463.1875         468.18125         MED-81           463.1875         468.18125         MED-82			
463.11875         468.11875         MED-53           463.125         468.125         MED-6           463.13125         468.13125         MED-61           463.1375         468.1375         MED-62           463.14375         468.14375         MED-63           463.150         468.150         MED-7           463.15625         468.15625         MED-71           463.1625         468.1625         MED-72           463.16875         468.16875         MED-73           463.175         468.175         MED-81           463.18125         468.18125         MED-81           463.1875         MED-82			
463.125         468.125         MED-6           463.13125         468.13125         MED-61           463.1375         468.1375         MED-62           463.14375         468.14375         MED-63           463.150         468.150         MED-7           463.15625         468.15625         MED-71           463.1625         468.1625         MED-72           463.16875         468.16875         MED-73           463.175         468.175         MED-8           463.18125         468.18125         MED-81           463.1875         468.1875         MED-82	463.1125	468.1125	
463.13125         468.13125         MED-61           463.1375         468.1375         MED-62           463.14375         468.14375         MED-63           463.150         468.150         MED-7           463.15625         468.15625         MED-71           463.1625         468.1625         MED-72           463.16875         468.16875         MED-73           463.175         468.175         MED-8           463.18125         468.18125         MED-81           463.1875         468.18125         MED-82			
463.1375     468.1375     MED-62       463.14375     468.14375     MED-63       463.150     468.150     MED-7       463.16625     468.15625     MED-71       463.1625     468.1625     MED-72       463.16875     468.16875     MED-73       463.175     MED-81     MED-81       463.18125     468.18125     MED-81       463.1875     MED-82			
463.14375     468.14375     MED-63       463.150     468.150     MED-7       463.15625     468.15625     MED-71       463.1625     468.1625     MED-72       463.16875     468.16875     MED-73       463.175     468.175     MED-8       463.18125     468.18125     MED-81       463.1875     468.1875     MED-82		468.13125	
463.150     468.150     MED-7       463.15625     468.15625     MED-71       463.1625     468.1625     MED-72       463.16875     468.16875     MED-73       463.175     468.175     MED-8       463.18125     468.18125     MED-81       463.1875     468.1875     MED-82		468.1375	
463.15625     468.15625     MED-71       463.1625     468.1625     MED-72       463.16875     468.16875     MED-73       463.175     468.175     MED-8       463.18125     468.18125     MED-81       463.1875     MED-82	463.14375	468.14375	
463.1625       468.1625       MED-72         463.16875       468.16875       MED-73         463.175       468.175       MED-8         463.18125       468.18125       MED-81         463.1875       MED-82	463.150	468.150	
463.16875       468.16875       MED-73         463.175       468.175       MED-8         463.18125       468.18125       MED-81         463.1875       468.1875       MED-82			
463.175       MED-8         463.18125       468.18125       MED-81         463.1875       468.1875       MED-82	463.1625		
463.18125	463.16875	468.16875	
463.1875	463.175	468.175	
	463.18125	468.18125	
463.19375	463.1875	468.1875	
	463.19375	468.19375	MED-83

(ii) Except as provided in paragraphs (d)(66)(iv) and (v) of this section, mobile or portable stations licensed prior to July 6, 2000, must employ equipment that is both wired and equipped to transmit/receive, respectively, on each of the following MED frequency pairs with transmitters operated on the 468 MHz frequencies: MED-1, MED-2, MED-3, MED-4, MED-5, MED-6, MED-7, and MED-8.

(iii) Except as provided in paragraphs (d)(66)(v) and (vi) of this section, mobile or portable stations licensed on or after July 6, 2000, must employ equipment that is both wired and equipped

to transmit/receive, respectively, on each of the following MED frequency pairs with transmitters operated on the 468 MHz frequencies: MED-1, MED-12, MED-2, MED-22, MED-3, MED-32, MED-4, MED-42, MED-5, MED-52, MED-6 MED-62, MED-7, MED-72, MED-8. and MED-82.

- (iv) Except as provided in paragraphs (d)(66)(v) and (vi) of this section, mobile or portable stations licensed on or after January 1, 2006, must employ equipment that is both wired and equipped to transmit/receive, respectively, on each of these MED frequency pairs with transmitters operated on the 468 MHz frequencies.
- (v) Portable (hand-held) units operated with a maximum output power of 2.5 watts are exempted from the multichannel equipment requirements specified in paragraphs (d)(66)(ii), (d)(66)(iii), and (d)(66)(iv) of this section.
- (vi) Stations located in areas above line A, as defined in  $\S 90.7$  will be required to meet multi-channel equipment requirements only for those frequencies up to the number specified in paragraphs (d)(66)(ii), (d)(66)(iii), and (d)(66)(iv) of this section that have been assigned and coordinates with Canada in accordance with the applicable U.S.-Canada agreement.
- (67) This frequency is authorized for use only for operations in biomedical telemetry stations. F1B, F1D, F2B, F2D, F3E, G1B, G1D, G2B, G2D and G3E emissions may be authorized. Entities eligible in the Public Safety Pool may use this frequency on a secondary basis for any other permissible communications consistent with §90.20(a)(1)(iii) or §90.20(a)(2)(xiii).
- (68) Subpart L of this part contains rules for assignment of frequencies in the 470-512 MHz band.
- (69) Subpart S of this part contains rules for assignment of frequencies in the 806-817 MHz and 851-862 MHz bands.
- (70) Assignment of frequencies above 928 MHz for operational-fixed stations is governed by part 101 of this chapter.
- (71) Frequencies in this band are available only for one-way paging operations in accordance with § 90.494.
- (72) This frequency band is available to stations in this service subject to the provisions of §90.259.

- (73) Available only on a shared basis with stations in other services, and subject to no protection from interference due to the operation of industrial, scientific, or medical (ISM) devices. In the band 2483.5-2500 MHz, no applications for new stations or modification to existing stations to increase the number of transmitters will be accepted. Existing licensees as of July 25, 1985, and licensees whose initial applications were filed on or before July 25, 1985, are grandfathered and their operations are on a co-primary basis with the mobile-satellite and radiodetermination-satellite services, and in the segment 2495-2500 MHz, their operations are also on a co-primary basis with part 27 fixed and mobile except aeronautical mobile service operations.
- (74) This band is available for Digital Termination Systems and for associated internodal links in the Point-to-Point Microwave Radio Service. No new licenses will be issued under this subpart but current licenses will be renewed.
- (75) Appropriate frequencies in the band 2000–3000 kHz which are designated in part 80 of this chapter as available to Public Ship Stations for telephone communications with Public Coast Stations may be assigned on a secondary basis to fixed Stations in the Public Safety Pool for communication with Public Coast Stations only, provided such stations are located in the United States and the following conditions are met:
- (i) That such fixed station is established pursuant to the eligibility provisions of (§ 90.47) and that the isolated area involved is an island or other location not more than 480 km (300 statute miles) removed from the desired;
- (ii) That evidence is submitted showing that an arrangement has been made with the coast station licensee for the handling of emergency communications permitted by §80.453 of this chapter and §90.20(a)(2)(x)(C); and
- (iii) That operation of the Public Safety fixed station shall at no time conflict with any provision of part 80 of this chapter and further, that such operation in general shall conform to the

practices employed by Public Ship Stations for radiotelephone communication with the same Public Coast Station.

- (76) This frequency is authorized only for communications between medical facilities vehicles and personnel related to medical supervision and instruction for the treatment and transport of patients in the rendition or delivery of medical services. F1B, F1D, F2B, F2D, G1B, G1D, G2B, F3E and G3E emissions are authorized. Public Safety entities may use this frequency on a secondary basis for any other permissible communications consistent with \$90.20(a)(1)(iii) or \$90.20(a)(2)(xiii).
- (77) Subpart R of this part contains rules for assignment of channels in the 764-776 MHz and 794-806 MHz bands.
- (78) Paging operations are not permitted on this frequency.
- (79) This frequency will be secondary to marine port operations within 161 km (100 miles) of Los Angeles, Calif. (coordinates 34°03′15″ N and 118°14′28″ W)
- (80) After December 7, 2000 this frequency is available primarily for public safety interoperability only communications. Stations licensed prior to December 7, 2000 may continue to use this frequency on a co-primary basis until January 1, 2005. After January 1, 2005, all operations will be secondary to co-channel interoperability communications.
- (81) After December 7, 2000 new stations will only be licensed with an authorized bandwidth not to exceed 1125 kHz. Licensees authorized prior to December 7, 2000 may continue to use bandwidths wider that 1125 kHz on a co-primary basis until January 1, 2005. After January 1, 2005, all stations operating with an authorized bandwidth greater than 11.25 kHz will be secondary to adjacent channel interoperability operations.
- (82) This frequency is reserved for assignment only in support of, and on a secondary basis to, nationwide interoperability use.
- (83) This interoperability frequency is dedicated for the express purpose of nationwide interoperability calling.
- (84) Operation on this frequency is subject to the low power provisions of §90.267. This frequency is assigned to

the Public Safety Group in the low power pool.

- (85) Subpart Y of this part contains rules for assignment of frequencies in the 4940–4990 MHz band.
- (86) Subpart M of this part contains rules for assignment of frequencies in the 5850-5925 MHz band.
- (87) The use the frequencies 150.775 MHz and 150.790 MHz are limited to a transmitter output power of 100 watts Effective Radiated Power (ERP) as of May 27, 2005.
- (88) Use of this frequency is limited to stations licensed as of May 27, 2005.
- (89) As of March 25, 2007, the FCC will cease to issue licenses for new stations in the fixed and mobile services in the following bands: 5900-5950 kHz, 7300-7350 kHz and 9400-9500 kHz. As of March 29, 2009, the FCC will cease to issue licenses for new stations in the fixed and mobile services in the band 7350-7400 kHz and, in the U.S. Pacific insular areas in Region 3, the band 7400-7450 kHz. Stations licensed as of March 25. 2007 in the bands 5900-5950 kHz, 7300-7350 kHz and 9400-9500 kHz and as of March 29, 2009 for the band 7350-7400 kHz in Region 2 and the band 7350-7450 kHz in Region 3 shall:
- (1) Be limited to communications only within the United States and its insular areas;
- (2) Not cause harmful interference to the broadcasting service;
- (3) Be limited to the minimum power needed to achieve communications; and
- (4) Take account of the seasonal use of frequencies by the broadcasting service published in accordance with Article 12 of the ITU *Radio Regulations*.
- (e) Additional frequencies available. In addition to the frequencies shown in the frequency table of this section, the following frequencies are available in this service. (See also § 90.253.)
- (1) Substitution of frequencies available below 25 MHz may be made in accordance with the provisions of §90.263.
- (2) Frequencies in the band 73.0-74.6 MHz may be assigned to stations authorized their use on or before December 1, 1961, but no new stations will be authorized in this band, nor will expansion of existing systems be permitted. See also §90.257.

- (3) The frequency bands 31.99–32.00 MHz, 33.00–33.01 MHz, 33.99–34.00 MHz, 37.93–38.00 MHz, 39.99–40.00 MHz, and 42.00–42.01 MHz, are available for assignment for developmental operation subject to the provisions of subpart Q of this part.
- (4) Frequencies in the 421-430 MHz band are available in the Detroit, Mich., Cleveland, Ohio and Buffalo, N.Y. areas in accordance with the rules in §§ 90.273 through 90.281.
- (5) A Police licensee may use transmitters on the frequencies indicated below in connection with official police activities without specific authorization from the Commission, provided that such use shall be on a secondary basis and shall not cause harmful interference to services of other licensees operating on regularly assigned frequencies, and further provided that all such use complies with the requirements of Federal, State and local laws. The provisions of §90.429 shall not apply to transmitters authorized under this paragraph. To be eligible for operations in this manner, the transmitter must comply with all of the following requirements.
- (i) In accordance with §90.203 and §2.803 of this chapter, the transmitter must be of a type which has been certificated by the Commission.
- (ii) The carrier frequency shall be within the bands listed below and must be maintained within 0.005 percent of the frequency of operation. Use on assigned channel center frequencies is not required.

```
30.85-30.87 MHz
                        31.65-31.67 MHz
30.89-30.91 MHz
                        31.69-31.71 MHz
30.93-30.95 MHz
                        31.73-31.75 MHz
30.97-30.99 MHz
                        31.77-31.79 MHz
31.01-31.03 MHz
                        31.81-31.83 MHz
31.05-31.07 MHz
                        31.85-31.87 MHz
31.09-31.11 MHz
                        31.89-31.91 MHz
31.13-31.15 MHz
                        31.93-31.95 MHz
31.17-31.19 MHz
                        31.97-32.00 MHz
                        33.00-33.03 MHz
31.21-31.23 MHz
                        33.05-33.07 MHz
31.25-31.27 MHz
31.29-31.31 MHz
                        33.41-34.00 MHz
31.33-31.35 MHz
                        37.00-37.43 MHz
31.37-31.39 MHz
                        37.89-38.00 MHz
31 41-31 43 MHz
                        39 00-40 00 MHz
                        42.00-42.91 MHz
31.45-31.47 MHz
31.49-31.51 MHz
                        44.61-45.91 MHz
31 53-31 55 MHz
                        45 93-45 95 MHz
31.57-31.59 MHz
                        45.97-45.99 MHz
31.61-31.63 MHz
                        46.01-46.03 MHz
```

```
46.05–46.60 MHz

47.00–47.41 MHz

150.995–151.490 MHz

153.740–154.445 MHz

154.635–155.195 MHz

155.415–156.250 MHz

158.715–159.465 MHz

465.0125–465.6375 MHz

465.5625–466.6375 MHz

465.0125–465.5125 MHz

465.5625–465.6375 MHz

467.9375–467.9875 MHz
```

- (iii) The emitted signal shall be non-voice modulation (type PO emission).
- (iv) The maximum occupied bandwidth, containing 99 percent of the radiated power, shall not exceed 2.0 kHz.
- (v) The transmitter output power shall not exceed a mean power of 30 mW nor shall any peak exceed 1 watt peak power, as measured into a 50 ohm resistive load. Should the transmitter be supplied with a permanently attached antenna or should the transmitter and antenna combination be contained in a sealed unit, the following standard may be used in lieu of the above: the field strength of the fundamental signal of the transmitter and antenna combination shall not exceed 0.4 V/m mean or 2.3 V/m peak when measured at a distance of 3 meters.
- (vi) The transmitter shall contain positive means to limit the transmission time to no more than 10 days. In the event of a malfunction of this positive means, the transmitter signal shall cease. The use of battery life to accomplish the transmission time limitation is permissible.
- (6) The frequency 173.075 MHz is available for stolen vehicle recovery systems on a shared basis with Federal stations in the fixed and mobile services. Stolen vehicle recovery systems are limited to recovering stolen vehicles and are not authorized for general purpose vehicle tracking or monitoring. Mobile transmitters operating on this frequency are limited to 2.5 watts power output and base transmitters are limited to 300 watts ERP. F1D and F2D emissions may be used within a maximum authorized bandwidth of 12.5 kHz, except that stations that operate as part of a stolen vehicle recovery system that was authorized and that was in operation prior to May 27, 2005 may operate with a maximum authorized bandwidth of 20 kHz until May 27, 2019. Transmissions from mobiles shall be limited to 200 milliseconds every 10 seconds, except that when a

vehicle is being tracked actively transmissions may be 200 milliseconds every second. Alternatively, transmissions from mobiles shall be limited to 1800 milliseconds every 300 seconds with a maximum of six such messages in any 30 minute period. Transmissions from base stations shall be limited to a total time of one second every minute. The FCC shall coordinate applications for base stations operating on this frequency with NTIA. Applicants shall perform an analysis for each base station located within 169 km (105 miles) of a TV Channel 7 transmitter of potential interference to TV Channel 7 viewers. Such stations will be authorized if the applicant has limited the interference contour to fewer than 100 residences or if the applicant:

- (i) Shows that the proposed site is the only suitable location:
- (ii) Develops a plan to control any interference caused to TV reception from the operations; and
- (iii) Agrees to make such adjustments in the TV receivers affected as may be necessary to eliminate interference caused by its operations. The licensee must eliminate any interference caused by its operation to TV channel 7 reception within 30 days of the time it is notified in writing by the Commission. If this interference is not removed within the 30-day period, operation of the base station must be discontinued. The licensee is expected to help resolve all complaints of interference.
- (f) Limitation on number of frequencies assignable. Normally only two frequencies or pairs of frequencies in the paired frequency mode of operation will be assigned for mobile service operations by a single applicant in a given area. The assignment of an additional frequency or pair of frequencies will be made only upon a satisfactory showing of need, except that:
- (1) Additional frequencies above 25 MHz may be assigned in connection with the operation of mobile repeaters in accordance with §90.247 notwithstanding this limitation;
- (2) The frequency 39.06 MHz may be assigned notwithstanding this limitation:
- (3) Frequencies in the 25-50 MHz, 150-170 MHz, 450-512 MHz and 902-928 MHz

bands may be assigned for the operation of Location and Monitoring Service (LMS) systems in accordance with the provisions of subpart M of this part, notwithstanding this limitation;

- (4) A licensee of a radio station in this service may operate radio units for the purpose of determining distance, direction, speed, or position by means of a radiolocation device on any frequency available for radiolocation purposes without additional authorization from the Commission, provided type accepted equipment or equipment authorized pursuant to §§ 90.203(b)(4) and (b)(5) of this part is used, and all other rule provisions are satisfied. A licensee in this service may also operate, subject to all of the foregoing conditions and on a secondary basis, radio units at fixed locations and in emergency vehicles that transmit on the frequency 24.10 GHz, both unmodulated continuous wave radio signals and modulated FM digital signals for the purpose of alerting motorists to hazardous driving conditions or the presence of an emergency vehicle. Unattended and continuous operation of such transmitters will be permitted.
- (5) A Police licensee may use, without special authorization from the Commission, any mobile service frequency between 40 and 952 MHz, listed in paragraph (c)(3) of this section, for communications in connection with physical surveillance, stakeouts, raids, and other such activities. Such use shall be on a secondary basis to operations of licensees regularly authorized on the assigned frequencies. The maximum output power that may be used for such communications is 2 watts. Transmitters, operating under this provision of the rules, shall be exempted from the station identification requirements of § 90.425. Use of frequencies not designated by a "PP" in the coordinator column of the frequency table in paragraph (c)(3) of this section, is conditional on the approval of the coordinator corresponding to each frequency. Spread spectrum transmitters may be operated on Public Safety Pool frequencies between 37 and 952 MHz, providing that they are certificated by the Commission under the provisions of §2.803 of this chapter and §90.203, and meet the following conditions:

- (i) Frequency hopping transmitters can be operated, with a maximum output power of 2 watts, on any Public Safety Pool frequency between 37 and 952 MHz listed in paragraph (c)(3) of this section. At least 20 hopping frequencies shall be used and the average time of occupancy on any frequency shall not be greater than  $\frac{1}{10}$  second in every 2 seconds;
- (ii) Use of spread spectrum transmitters under paragraph (f)(4) of this section is subject to approval by the applicable frequency coordinator of the radio services of the district in which the license and equipment are to be used: and
- (iii) The use of direct sequence spread spectrum equipment is also permitted. Equipment must meet the technical standards of §15.247 of this chapter.
- (6) In addition to the frequencies assigned for mobile service operation, one base station frequency above 152 MHz may be assigned as a common frequency to all licensees in a particular area to permit intersystem communication between base stations or mobile stations or both. This frequency use will not be authorized in any area where all available frequencies are required for independent systems.
- (7) A licensee may use, without a specific authorization from the Commission, transmitters on the frequencies indicated below in connection with wildlife tracking and/or telemetry and in connection with official forestryconservation activities, provided that such use shall be on a secondary basis and shall not cause harmful interference to services of other licensees operating on regularly assigned frequencies. The provisions of §90.203, §90.425, and §90.429 shall not apply to transmitters complying with this paragraph. To be eligible for operations in this manner, the transmitter must comply with all of the following reauirements.
- (i) The carrier frequency shall be within the bands listed below. The carrier frequency must be maintained within 0.005 percent of the frequency of operation.

Use on assigned channel center frequencies is not required.

	(IVIHZ)
31.17 to 31.19	31.85 to 31.87
31.21 to 31.23	31.89 to 31.91
31.25 to 31.27	31.93 to 31.95
31.29 to 31.31	31.97 to 31.99
31.33 to 31.35	44.63 to 44.65
31.37 to 31.39	44.67 to 44.69
31.41 to 31.43	44.71 to 44.73
31.45 to 31.47	44.75 to 44.77
31.49 to 31.51	44.79 to 44.81
31.53 to 31.55	44.83 to 44.85
31.57 to 31.59	44.87 to 44.89
31.61 to 31.63	44.91 to 44.93
31.65 to 31.67	44.95 to 44.97
31.69 to 31.71	44.99 to 45.01
31.73 to 31.75	45.03 to 45.05
31.77 to 31.79	151.145 to 151.475
31.81 to 31.83	159.225 to 159.465

(MIII7)

- (ii) The emitted signal shall be non-voice modulation (A1D, A2D, F1D, or F2D emission).
- (iii) The maximum occupied bandwidth, containing 99 percent of the radiated power, shall not exceed  $0.25~\mathrm{kHz}.$
- (iv) The transmitter output power shall not exceed a mean power of 5 mW nor shall any peak exceed 100 mW peak power, as measured into a permanently attached antenna; or if the transmitter and antenna combination are contained in a sealed unit, the field strength of the fundamental signal of the transmitter and antenna combination shall not exceed 0.29 V/m mean or 1.28 V/m peak when measured at a distance of 3 meters.
- (v) The requirements of §90.175 regarding frequency coordination apply.
- (8) An additional frequency may be assigned for paging operations from those frequencies available under paragraph (d)(13) of this section.
- (9) The frequency 155.340 MHz may be assigned as an additional frequency when it is designated as a mutual assistance frequency as provided in paragraph (d)(40) of this section.
- (10) Additional frequencies may be assigned for fixed station operations.
- (11) The assignment of an additional frequency or frequencies may be authorized notwithstanding this limitation for common, intra-county, intra-fire-district, or intrastate fire coordination operations. The frequency or frequencies requested must be in accordance with a frequency utilization plan, for the area involved, on file with the Commission.

- (g) Former public correspondence working channels in the maritime VHF (156–162 MHz) band allocated for public safety use in 33 inland Economic Areas.
- (1) We define service areas in the marine VHF (156-162 MHz) band by fortytwo geographic areas called VHF Public Coast Service Areas (VPCSAs). See §80.371(c)(1)(ii) of this chapter (Public correspondence frequencies). VPCSAs are based on, and composed of one or more of, the U.S. Department of Commerce's 172 Economic Areas (EAs). See 60 Fed Reg. 13114 (Mar. 10, 1995). You may inspect and copy maps of the EAs and VPCSAs at the FCC Reference Center, Room CY A-257, 445 12th St., S.W., Washington, DC 20554. These maps and data are also available on the FCC website at http://www.fcc.gov/oet/info/ maps/areas/. We number public correspondence channels in the maritime VHF (156-162 MHz) band as channels 24 to 28 and channels 84 to 88. Each channel number represents a channel pair. See §80.371(c) of this chapter.
- (2) We allocated two contiguous 25 kHz public correspondence channels in the maritime VHF (156-162 MHz) band for public safety use in 33 VPCSAs that are not near major waterways. These 33 VPCSAs are located in an inland region stretching from the western Great Plains to eastern California and Oregon. Each of these 33 inland VPCSAs corresponds to a single EA. Channel pairs 25, 84, and 85 are paired 25 kHz bandwidth channels as set forth in paragraph (g)(2)(i) Table A of this section. In each of the 33 inland VPCSAs/ EAs listed in paragraph (g)(2)(i)Table B of this section, two of these three channel pairs are allocated for public safety use by entities eligible for licensing under paragraph (a) of this section.
- (i) Channel Numbers and Corresponding Center Frequencies, and Certified Coordinators Table A as follows:

TABLE A—LIST OF CHANNEL NUMBERS AND CORRESPONDING CENTER FREQUENCIES, AND CERTIFIED COORDINATORS

Channel No.	Mobile sta- tion transmit center frequency in MHz	Base station transmit center frequency in MHz	Coordinator	
25	157.250	161.850	PX	
84	157.225	161.825	PX	

TABLE A—LIST OF CHANNEL NUMBERS AND CORRESPONDING CENTER FREQUENCIES, AND CERTIFIED COORDINATORS—Continued

Channel No.	Mobile sta- tion transmit center frequency in MHz	Base station transmit center frequency in MHz	Coordinator
85	157.275	161.875	PX

(ii) Channels Allocated for Public Safety Use in 33 Inland VPCSAs/Eas Table B as follows:

TABLE B—LIST OF CHANNELS ALLOCATED FOR PUBLIC SAFETY USE IN 33 INLAND VPCSAS/FAS

VHF public coast serv- ice area	Name	Eco- nomic area	Public safety channel pairs
10	Grand Forks	110	25, 84
11	Minot	111	25, 84
12	Bismarck	112	25, 84
13	Aberdeen	114	25, 84
14	Rapid City	115	25, 84
15	North Platte	121	25, 84
16	Western Oklahoma	126	25, 85
17	Abilene	128	25, 85
18	San Angelo	129	25, 85
19	Odessa-Midland	135	25, 85
20	Hobbs	136	25, 85
21	Lubbock	137	25, 85
22	Amarillo	138	25, 85
23	Santa Fe	139	25, 84
24	Pueblo	140	25, 84
25	Denver-Boulder-Greeley	141	25, 84
26	Scottsbluff	142	25, 84
27	Casper	143	25, 84
28	Billings	144	25, 84
29	Great Falls	145	25, 84
30	Missoula	146	25, 84
31	Idaho Falls	148	25, 85
32	Twin Falls	149	25, 85
33	Boise City	150	25, 84
34	Reno	151	25, 84
35	Salt Lake City-Ogden	152	25, 85
36	Las Vegas	153	25, 84
37	Flagstaff	154	25, 84
38	Farmington	155	25, 84
39	Albuquerque	156	25, 84
40	El Paso	157	25, 85
41	Phoenix-Mesa	158	25, 84
42	Tucson	159	25, 84

- (3) The channels pairs set forth in Table B paragraph (g)(2)(ii) of this section are designated primarily for the purpose of interoperability communication.
- (4) Channel pairs 25, 84, and 85 as listed in Table B paragraph (g)(2)(ii) of this section were formerly allocated and assigned (under §80.371(c) (1997) of this chapter) as public correspondence working channels in the maritime VHF 156–162 MHz band; these channels were

also shared (under former §90.283 (1997) of this chapter) with private land radio mobile stations including grandfathered public safety licensees). Thus, there are grandfathered licensees nationwide (maritime and private land mobile radio stations, including by rule waiver) operating on these channels both inside and outside of the 33 EAs listed in Table B paragraph (g)(2)(ii) of this section

(5) All applicants and licensees under this paragraph must comply with the relevant technical sections under this part unless otherwise stated in this paragraph (g) of this section using the following standards and procedures:

(i) Provide evidence of frequency coordination in accordance with §90.175. Public safety coordinators except the Special Emergency Coordinator are certified to coordinate applications for the channels pairs set forth in Table B paragraph (g)(2)(ii) (*i.e.*, letter symbol PX under paragraph (c)(2) of this section).

(ii) Station power, as measured at the output terminals of the transmitter, must not exceed 50 Watts for base stations and 20 Watts for mobile stations, except in accordance with the provisions of paragraph (g)(5)(vi) of this section. Antenna height (HAAT) must not exceed 122 meters (400 feet) for base stations and 4.5 meters (15 feet) for mobile stations, except in accordance with paragraph (g)(5)(vi) of this section. Antenna height (HAAT) must not exceed 122 meters (400 feet) for base stations and 4.5 meters (15

feet) for mobile stations, except in accordance with paragraph (g)(5)(vi) of this section. Such base and mobile channels shall not be operated on board aircraft in flight.

(iii) Frequency protection must be provided to other stations in accordance with the following guidelines for each channel and for each area and adjacent area:

(A) Protect coast stations licensed prior to July 6, 1998, by the required separations shown in Table C below.

(B) Protect stations described in paragraph (g)(4) of this section, by frequency coordination in accordance with §90.175 of this part.

(C) Protect public safety stations granted under paragraph (g) of this section by frequency coordination in accordance with § 90.175 of this part.

(D) Where the Public safety designated channel is not a Public Safety designated channel in an adjacent EA: Applicants shall engineer base stations such that the maximum signal strength at the boundary of the adjacent EA does not exceed 5 dB $\mu$ V/m.

(iv) The following table, along with the antenna height (HAAT) and power (ERP), must be used to determine the minimum separation required between proposed base stations and co-channel public coast stations licensed prior to July 6, 1998 under part 80 of this chapter. Applicants whose exact ERP or HAAT are not reflected in the table must use the next highest figure shown.

TABLE C—REQUIRED SEPARATION IN KILOMETERS (MILES) OF BASE STATION FROM PUBLIC COAST STATIONS

Base Station Characteristics					
HAAT ERP (watts)					
Meters (feet)	400	300	200	100	50
15 (50)	138 (86) 154 (96) 166 (103) 187 (116)	135 (84) 151 (94) 167 (104) 177 (110)	129 (80) 145 (90) 161 (100) 183 (114)	129 (80) 137 (85) 153 (95) 169 (105)	116 (72) 130 (81) 145 (90) 159 (99)

(v) In the event of interference, the Commission may require, without a hearing, licensees of base stations authorized under this section that are located within 241 kilometers (150 miles) of a co-channel public coast, I/LT, or

grandfathered public safety station licensed prior to July 6, 1998, or an international border, to reduce power, decrease antenna height, and/or install directional antennas.

Mobile stations must be operated only within radio range of their associated base station.

(vi) Applicants seeking to be licensed for stations exceeding the power/antenna height limits of the table in paragraph (g)(5)(iv) of this section must request a waiver of that paragraph and must submit with their application an interference analysis, based upon an appropriate, generally-accepted terrain-based propagation model, that shows that co-channel protected entities, described in paragraph (g)(5)(iii) of this section, would receive the same or greater interference protection than the relevant criteria outlined in paragraph (g)(5)(iii) of this section.

(h) Spectrum leasing arrangements. Notwithstanding any other provisions of this section to the contrary, licensees in the Public Safety Radio Services (see part 90, subpart B) may enter into spectrum leasing arrangements (see part 1, subpart X of this chapter) with

entities providing communications in support of public safety operations.

[62 FR 18845, Apr. 17, 1997, as amended at 63 FR 36608, July 7, 1998; 63 FR 58651, Nov. 2, 1998; 64 FR 10397, Mar. 4, 1999; 64 FR 36261, July 6, 1999; 65 FR 38326, June 20, 2000; 65 FR 43715, 43716, July 14, 2000; 65 FR 60874, Oct. 13, 2000; 65 FR 66650, Nov. 7, 2000; 67 FR 41858, June 20, 2002; 67 FR 63284, Oct. 11, 2002; 67 FR 70705, Nov. 26, 2002; 68 FR 19446, Apr. 21, 2003; 68 FR 38639, June 30, 2003; 68 FR 42298, July 17, 2003; 69 FR 16498, Mar. 30, 2004; 69 FR 48162, Aug. 9, 2004; 69 FR 46442, Aug. 3, 2004; 69 FR 67837, Nov. 22, 2004; 69 FR 77559, Dec. 27, 2004; 70 FR 21660, Apr. 27, 2005; 70 FR 29960, May 25, 2005; 70 FR 46678, Aug. 10, 2005; 70 FR 61060, Oct. 20, 2005; 72 FR 35191, June 27, 2007; 72 FR 44423, Aug. 8, 2007]

EFFECTIVE DATE NOTE: At 72 FR 48859, Aug. 24, 2007, §90.20 was amended by revising the entries for "470 to 512" and "763 to 775; "80 to 817"; by removing the entry for "764 to 776"; and by adding entries for "763 to 775" and "793 to 805" in the frequency or band table in paragraph (c)(3) and by revising paragraph (d)(77), effective October 23, 2007. For the convenience of the user, the added and revised text is set forth as follows:

### § 90.20 Public Safety Pool.

\* \* \* \* \*

(3) Frequencies.

### PUBLIC SAFETY POOL FREQUENCY TABLE

	Frequency or band		Class of station(s)	)	Limitations	С	oordinator
*	*	*	*	*		*	*
470 to 51	2	Base or	mobile		68		
763 to 77	5	Base, m	obile		77	PX	
793 to 80	5	Mobile			77	PX	
806 to 81	7	do			69		
*	*	*	*	*		*	*

(d) \* \* \*

(77) Subpart R of this part contains rules for assignment of channels in the 763–775 MHz and 793–805 MHz bands.

\* \* \* \* \* \*

## $\S\,90.22$ $\,$ Paging operations.

Unless specified elsewhere in this part, paging operations may be authorized in the Public Safety Pool on any frequency except those assigned under the provisions of §90.20(d)(78). Paging operations on frequencies subject to

§90.20(d)(78) authorized before August 17, 1974, may be continued only if they do not cause harmful interference to regular operations on the same frequencies. Such paging operations may be renewed indefinitely on a secondary basis to regular operations, except within 125 km (75 mi) of the following urbanized areas:

Urbanized area	North latitude	West longitude
New York, NY-Northeastern NJ Los Angeles-Long Beach, CA	40-45-06.4 34-03-15.0	73-59-37.5 118-14-
		31.3